

Literatuur over de collectie Cenozoïsche Mollusca van Naturalis (versie 1, 2022)

In dit overzicht staan publicaties waarin op wat voor wijze dan ook wordt verwezen naar materiaal in de collectie Cenozoïsche Mollusca van Naturalis. Dit betreft ook materiaal dat zich ten tijde van de publicatie in een andere collectie bevond en dat in de loop van de tijd in Naturalis terecht is gekomen. Met name in oudere publicaties worden zelden collectie nummers vermeld. Ook opgenomen zijn publicaties over de geschiedenis van de collectie.

Niet opgenomen zijn publicaties die (deels) gebaseerd zijn op kennis die is opgedaan uit onderzoek in de collectie, maar waarbij dat niet expliciet is vermeld. Dit zijn vaak syntheses en andere publicaties waarbij niet specifiek naar exemplaren in de collectie wordt verwezen.

Dit overzicht is nog niet compleet. Met name oudere publicaties ontbreken nog, waaronder de meeste werken van Karl Martin, de belangrijkste onderzoeker die eind 19^e en begin 20^e eeuw over de collectie heeft gepubliceerd.

- Aartsen, J.J. van, & F.P. Wesselingh, 2000. New *Odostomia* species (Gastropoda, Heterobranchia, Pyramidellidae) from the Miocene Pebas Formation of Western Amazonia (Peru, Colombia). *Basteria* 64: 165-170, 7 figs.
- Aartsen, J.J. van, & F.P. Wesselingh, 2005. *Iolaea amazonica* spec. nov., another pyramidellid (Gastropoda, Heterobranchia) from the Miocene Pebas Formation of Western Amazonia (Peru). *Basteria* 69: 21-24, 3 figs.
- Aartsen, J.J. van, & F.P. Wesselingh, 2013. De fossiele schelpen van de Nederlandse kust II, deel 6. Pyramidelloidea. *Spirula*, 395: 178-186.
- Albrecht, J.C.H. & W. Valk, 1943. Oligocäne Invertebraten von Süd-Limburg. *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-3: 1-163, 27 pls.
- Alçiçek, H., Wesselingh, F.P. & Alçiçek, M.C., 2015. Paleoenvironmental evolution of the late Pliocene–early Pleistocene fluvio-deltaic sequence of the Denizli Basin (SW Turkey). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 437: 98-116.
- Alçiçek, H., Wesselingh, F.P. & Alçiçek, M.C., Jiménez-Moreno, G., Feijen, F.J., Hoek Ostende, L.W. van den, Mayda, S., & A.S. Tesakov, 2017. A multiproxy study of the early Pleistocene palaeoenvironmental and palaeoclimatic conditions of an anastomosed fluvial sequence from the Çameli Basin (SW Anatolia, Turkey). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 467: 232-252, 11 figs, 7 tabs
- Anistratenko, V.V., Neubauer, T.A., Anistratenko, O.Yu., Kijashko, P.V. & F.P. Wesselingh, 2021. A revision of the Pontocaspian gastropods of the subfamily Caspiinae (Caenogastropoda: Hydrobiidae). *Zootaxa* 4933 (2): 151–197, 19 figs, 2 tabs.
- Anonymous, 2016. Stichting Schepse Schelp 1991-2016. Published by the Stichting Schepse Schelp. Part 1: 296 pp.; part 2: 255 pp.
- Batenburg, S.J., G.J. Reichart, T. Jilbert, M. Janse, F.P. Wesselingh & W. Renema, 2015. Interannual climate variability in the Miocene: High resolution trace element and stable isotope ratios in giant clams. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 306: 75–81, 5 figs, 1 tab.
- Bakel, B.W.M. van, J.W.M. Jagt & R.H.B. Fraaije, 2003. A new Pliocene cancrid crab from Oelegem, province of Antwerpen (NW Belgium). *Cainozoic Research*, 2: 79-85, 2 figs.
- Bakker, P.A.J., & P.G. Albano, 2022. Nomenclator, geographic and stratigraphic distribution of the family Triphoridae (Mollusca: Gastropoda). *Zootaxa* 5088 (1): 1–216.
- Beck, L. & W. Rähle, 2006. Description of a newly discovered extinct representative of the genus *Hemicycla* Swainson, 1840 (Gastropoda, Pulmonata, Helicidae) from La Gomera, Canary Islands. *Basteria* 70: 53-56, 2 figs, 1 tab.

- Beets, C., 1940. Mitteilung über Messungen an Strombidae aus der Sammlung-Schröder von Nias. *Geologie Mijnbouw*, 21(2):17-25, 2 figs, 3 tabs.
- Beets, C., 1941. Eine jungmiocäne Mollusken-fauna von der Halbinsel Mangkalihat, Ost-Borneo (nebst Bemerkungen über andere Faunen von Ost-Borneo; die Leitfossilien-Frage). *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*. Geologische Serie, XIII: 1-219, 9 pls.
- Beets, C., 1942. Mollusken aus dem Tertiär des Ostindischen Archipels. *Leidsche Geologische Mededeelingen*, 13: 218-254, pls 24-26
- Beets, C., 1942. Beiträge zur Kenntnis der angeblich Oberoligocänen Mollusken-Fauna der Insel Buton, Niederländisch-Ostindien. *Leidsche Geologische Mededeelingen*, 13: 255-328, pls 27-30.
- Beets, C., 1942. *Brechites venustulus*, ein neuer Fund aus dem Miocän der Landschaft Serawak, N.W.-Borneo. *Leidsche Geologische Mededeelingen*, 13: 329-333, pl. 31.
- Beets, C., 1942. Note on a new species of the Venerid Genus *Atopodonta* from the Vigo-Miocene of Luzon (Philippine Islands), with remarks upon the generic character. *Leidsche Geologische Mededeelingen*, 13: 334-340, pl. 32.
- Beets, C., 1942. On *Waisiuthyrina*, a new articulate Brachiopod genus from the upper-oligocene of Buton (S.E. Celebes), Dutch East Indies. *Leidsche Geologische Mededeelingen*, 13: 341-347, pls 33-34.
- Beets, C., 1942. Weitere Verwandtschaftsbeziehungen zwischen den oberoligocaenen Mollusken von Buton (S.E. Celebes) und den Neogenfaunen des ostindischen Archipels. *Leidsche Geologische Mededeelingen*, 13: 348-355, pl. 35.
- Beets, C., 1942. Notizen über *Thatcheria* Angas, *Clinura* Bellardi und *Clinuropsis* Vincent. *Leidsche Geologische Mededeelingen*, 13: 356-367, pls 36-37.
- Beets, C., 1943. Über *Puruninella permodesta* (Martin) aus dem Javanischen Obereozän von Nanggulan. *Geologie en Mijnbouw*, N.S., 5(11-12): 92-93, 1 fig.
- Beets, C., 1943. Notizen über die Gattung *Cardilia* Deshayes. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*, Geologische Serie, XIII: 355-362, 1 pl.
- Beets, C., 1943. Die gattung Galeodea Link im Tertiär von Insulinde. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*, Geologische Serie, XIII: 435-443, 6 figs
- Beets, C., 1943. Die Gastropodengruppen *Ootoma* und *Eosipho* im indopacifischen Gebiet. *Basteria*, 8(1-2): 2-8, 6 figs.
- Beets, C., 1944. Über *Ootomella* und *Buccinaria*. *Basteria*, 9(1-2): 32-38, 1 pl.
- Beets, C., 1944. Die Lamellibranchiaten-Gattung *Julia* Gould. *Geologie en Mijnbouw*, N.S., 6(3-4): 28-31.
- Beets, C., 1946. The Pliocene and Lower Pleistocene Gastropods in the Collections of the Geological Foundation in the Netherlands (with some Remarks on other Dutch Collections). *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-6: 1-166, 6 pls.
- Beets, C., 1947. Note on fossil Echinoidea and Gastropoda from Sarawak and Kutei, Borneo. *Geologie en Mijnbouw*, N.S., 9(3): 40-42.

- Beets, C., 1947. On probably Pliocene fossils from Mahakkam delta region, East Borneo, and from Dessah Garoeng (Lamongan), Java. *Geologie en Mijnbouw*, N.S., 9(10): 193-200.
- Beets, C., 1948. Jong-kwartaire fossielen van de Goenoeng Mendong, Oost-Borneo. *Basteria*, 12(1): 7-10.
- Beets, C., 1948. Notes on the genus *Deshayesia* Raulin. *Basteria*, 12(2-4): 19-22.
- Beets, C., 1950. Oligozäne und wahrscheinlich Miozäne Gastropoden aus dem Peel-Gebiete (Südliche Niederlande). *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-8: 1-78, 4 pls.
- Beets, C., 1950. On quaternary Mollusca from the islands of Boenjoë and Tarakan, E. Borneo. *Leidse Geologische Mededelingen*, 15: 241-264, 2 figs.
- Beets, C., 1950. On probably Young Miocene fossils from the coal concession Batoë Panggal, near Tenggara (Samarinda), Eastern Borneo. *Leidse Geologische Mededelingen*, 15: 265-281, 11 figs.
- Beets, C., 1950. On lower Tertiary Mollusca from S.W. and Central Celebes. *Leidse Geologische Mededelingen*, 15: 282-290, 1 fig, 1 pl.
- Beets, C., 1950. On fossil Mollusca from the island of Mandul, East-Borneo. *Leidse Geologische Mededelingen*, 15: 291-304.
- Beets, C., 1950. Pliocene Mollusca from a coral limestone of a hill near Sekoerau, E. Borneo. *Leidse Geologische Mededelingen*, 15: 305-318, 4 figs.
- Beets, C., 1950. Revised determinations of East Indian and related fossil mollusca. *Verhandelingen Nederlands Geologisch-Mijnbouwkundig Genootschap, Geologische Serie*, 15: 329-341.
- Beets, C., 1950. On an East-Indian representative of the rare gastropod genus *Trochocerithium*. *Verhandelingen Nederlands Geologisch-Mijnbouwkundig Genootschap, Geologische Serie*, 15: 342-348, 10 figs.
- Beets, C., 1950. Précis des espèces fossiles du genre *Cryptomya* Conrad. — *Basteria*, 14(1-2): 16-20.
- Beets, C., 1950. Revised determinations of East Indian and related fossil mollusca. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*, Geologische Serie, 15: 329-341.
- Beets, C., 1950. On an East-Indian representative of the rare gastropod genus *Trochocerithium*. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*, Geologische Serie, 15: 342-348.
- Beets, C., 1953. Pteropoda and Heteropoda (?) from Wadi Gharandal, Western Sinai (Egypt). *Basteria*, 17(4): 56-59.
- Beets, C., 1953. Reconsideration of the so-called Oligocene fauna in the asphaltic deposits of Buton (Malay Archipelago), 1. Mio-Pliocene Mollusca. *Leidse Geol. Meded.*, 17(1952): 237-258, pl. 1
- Beets, C., 1981. Note on Mollusca from the Lower Mentawir Beds, Balikpapan Bay area, Kalimantan (East Borneo). *Scripta Geologica*, 59: 1-12, 1 fig.
- Beets, C., 1981. Late Miocene Mollusca from Tapian Langsat and Gunung Batuta, Sungai Bungalun area, Kalimantan (E. Borneo). *Scripta Geologica*, 59: 13-28, 1 fig.
- Beets, C., 1983. Miocene molluscs from Muara Kobun and Pulau Senumpah, Sangkulirang Bay, northern Kutai (East Borneo). *Scripta Geologica*, 67: 1-21, 1 fig., 1 pl.

- Beets, C., 1983. Miocene (Preangerian) molluscs from Kari Orang, northern Kutai, East Borneo. *Scripta Geologica*, 67: 23-47, 1 fig., 2 pls.
- Beets, C., 1983. Preangerian (Miocene) Mollusca from the Lower Sangkulirang Marl Formation, Kari Orang, Kalimantan (East Borneo). *Scripta Geologica*, 67: 49-67, 1 pl.
- Beets, C., 1984. Two innovations: the RGM storage tray and the RGM rotor slide. *Curator*, 27(4): 274-280.
- Beets, C., 1985. Preangerian (Late Miocene) Mollusca from a hill near Sekurau, northern Kutai, Kalimantan Timur (East Borneo). *Scripta Geologica*, 74 (1984): 1-37, 1 fig., 1 pl.
- Beets, C., 1985. Comments on *Acantinella*, *Preangeria* and *Taurasia* (Muricidae, Drupinae). *Scripta Geologica*, 74 (1984): 39-47, 1 pl.
- Beets, C., 1985. Mollusca from Preangerian deposits of Mandul Island, northeastern Kalimantan Timur (East Borneo). *Scripta Geologica*, 74 (1984): 49-80, 1 fig., 2 pls.
- Beets, C., 1987. Molluscan fauna of the Lower Gelingseh Beds s. str., Sangkulirang area, Kalimantan timur [sic] (East Borneo). *Scripta Geologica*, 82 (1986): 1-82, 2 figs., 5 pls.
- Beets, C., 1987. Notes on *Buccinulum* (Gastropoda, Buccinidae), a reappraisal. *Scripta Geologica*, 82 (1986): 83-100, 2 pls.
- Beets, C., 1987. Neogene Mollusca from the Vogelkop (Bird's Head Peninsula), West Irian, New Guinea. *Scripta Geologica*, 82 (1986): 101-134, 2 figs., pls 8-11.
- Beierlein, L., G. Nehrke, & T. Brey, 2015. Confocal Raman microscopy in sclerochronology: A powerful tool to visualize environmental information in recent and fossil biogenic archives. *Geochemistry, Geophysics, Geosystems*, 16, doi:10.1002/2014GC005547.
- Bentham Jutting, T. van, 1937. Non marine mollusca from fossil horizons in Java with special reference to the Trinil fauna. *Zoologische Mededeelingen*, 20: 83-180, 4 tabs, 1 map, 9 pls, 5 figs
- Berndt, M., F. Strauch & J. Welle, 2000. *Die Fauna des miozänen Bockuper Sandsteins aus SW-Mecklenburg*. In: Bülow, W. von (ed). *Geologie SW-Mecklenburgs - Schriftenreihe für Geowissenschaften*, 11: 105-133.
- Beu, A.G., 2005. Neogene fossil tonnoidean gastropods of Indonesia. *Scripta Geologica*, 130: 1-186, 327 figs.
- Bijl, A.N. van der, R.G. Moolenbeek & J. Goud, 2010. *Mattheus Marinus Schepman (1847-1919) and his contributions to malacology. A Malacological biography and bibliography*. Nederlandse Malacologische Vereniging, Leiden, 1-200.
- Bloklander, A., 1949. Nogmaals de fossiele mollusken uit de Westerschelde bij Ellewoutsdijk (avec un sommaire français, contenant la description d'une espèce nouvelle). *Basteria* 13(1-3): 35-40, 2 figs.
- Bosch, M. van den, & A.W. Janssen, 1965. Het Mioceen van Delden. *Natuurhistorisch Maandblad* 54(6): 81-83
- Bosch, M. van den, M.C. Cadée & A.W. Janssen, 1975. Lithostratigraphical and biostratigraphical subdivision of Tertiary deposits (Oligocene-Pliocene) in the Winterswijk-Almelo region (eastern part of the Netherlands). *Scripta Geologica*, 29: 1-167, 37 figs., 10 tabs, 23 pls., 2 enclosures.
- Bosch, D.M., M.A. Mannino, A. Prendergast, T.C. O'Connell, F.P. Wesselingh, J. van der Plicht & J.-J. Hublin, 2013. Initial Upper Palaeolithic to Epi-Palaeolithic marine mollusc exploitation at Ksâr 'Akil (Lebanon): new zooarchaeological, radiometric, and isotopic data. *PaleoAnthropology, Paleoanthropology Society Meetings Abstracts, Honolulu, HI, 2-3 April 2013*, A7.

- Bosch, M.D., M.A. Mannino, A.L. Prendergast, T.C. O'Connell, B. Demarchi, S.M. Taylor, L. Niven, J. van der Plicht & J.-J. Hublin, 2015. New chronology for Ksâr 'Akil (Lebanon) supports Levantine route of modern human dispersal into Europe. *Proceedings of the National Academy of Sciences*, 112(25): 7683-7688, 2 figs.
- Bosch, M.D., M.A. Mannino, A.L. Prendergast, T.C. O'Connell, B. Demarchi, S.M. Taylor, L. Niven, J. van der Plicht & J.-J. Hublin, 2015. Reply to Douka et al.: Critical evaluation of the Ksâr 'Akil chronologies. *Proceedings of the National Academy of Sciences*, 112(51) E7035. www.pnas.org/cgi/doi/10.1073/pnas.1520412112
- Bosch, M.D., F.P. Wesselingh & M.A. Mannino, 2015. The Ksâr 'Akil (Lebanon) mollusc assemblage: Zooarchaeological and taphonomic investigations. *Quaternary International* 390: 85-101, 8 figs, 6 tabs. <http://dx.doi.org/10.1016/j.quaint.2015.07.004>
- Bosch, M.D., 2015. Wat schaft de pot? De midden en jong-palaeolitische fauna van Ksâr 'Akil, Libanon. *Cranium* 32(1): 28-33, 7 figs.
- Bosch, M.D., M.A. Mannino, A.L. Prendergast, F.P. Wesselingh, T.C. O'Connell & J.-J. Hublin, 2018. Year-round shellfish exploitation in the Levant and implications for Upper Palaeolithic hunter-gatherer subsistence. *Journal of Archeological Science: Reports*, 21: 1198-1214, 7 figs, 5 tabs. <http://dx.doi.org/10.1016/j.jasrep.2017.08.014>
- Bosch, D.M., 2018. *Mollusca in the Levantine Upper Palaeolithic: implications for modern human diets and subsistence behaviour*. Thesis, Universiteit Leiden. 260 pp
- Bosch, M.D., L. Buck & A. Strauss, 2019. Location, Location, Location: Investigating Perforation Locations in *Tritia gibbosula* Shells at Ksâr 'Akil (Lebanon) Using Micro-CT Data. *PaleoAnthropology*, 2019: 52-63, 5 figs, 2 tabs. doi:10.4207/PA.2019.ART123
- Bosch, M. van den, 2021. Geologisch onderzoek van de Rijkswaterstaat-Deltadienst in Zuidwest-Nederland in de periode 1962-1969. *Afzettingen WTKG* 42(1): 11-17
- Bouchard, B., 2022. Faune de mollusques gélasien de Selsoif (Manche, France) - aperçu de la biogéographie du Pleistocène inférieur de l'Europe du Nord-Ouest. *Mémoire de Master 2, Master mention Bio-géosciences, parcours Paléontologie, paléo-environnements et patrimoine, Université de Rennes 1*: 1-21, 8 figs, 5 appendices, 14 pls.
- Bouchard, B., 2022. Gelasian mollusc fauna from Selsoif (Manche, France) - overview of the Lower Pleistocene biogeography of Northwestern Europe. *Mémoire de Master 2, Master mention Bio-géosciences, parcours Paléontologie, paléo-environnements et patrimoine, Université de Rennes 1*: 1-19, 8 figs, 5 appendices, 14 pls.
- Brakman, C., 1937. *Turritella* (Haustator) vanderfeeni, nov. spec. *Basteria* 2(4): 62-63.
- Brueren, J.W.R., 1941. *De Geologie van een deel der Etruskische Apennijnen tusschen Firenze en Bologna*. Ph.D. thesis University of Leiden: 1-208, 2 pls, 2 maps & profiles.
- Bruggeman-Nannenga, M.A., & P. Wagenaar Hummelinck, 1986. Notes on the Caribbean crown conch *Melongena melongena*. *Studies on the Fauna of Curaçao and other Caribbean islands*, 68: 148-190.
- Bruyne, D.L. de, 1941. *Sur la composition et la genèse du bassin central de Timor*. Thesis Universiteit van Amsterdam, I-XI + 1-98, 33 figs, 5 maps.
- Burg, W.J. van der, 1950. Over enige tot nu toe uit het Middenplioceen van Nederland onbekende molluskensoorten, 2. *Basteria* 16(4): 49-64.
- Burg, W.J. van der, 1952. Over enige tot nu toe uit het Middenplioceen van Nederland onbekende molluskensoorten. *Basteria* 14(1-2): 20-27.

- Burg, W.J. van der, 1958. *Boreodrillia pliocenica* nov. spec., a marine gastropod from the Pliocene deposits of the northern Peel district of The Netherlands. *Basteria* 51: 121-124, 1 fig.
- Burg, W.J. van der, 1987. *Nassarius macharensis* nova species, a gastropod from the Upper Pliocene of the Netherlands. *Basteria* 22(4-5): 74-76, 1 fig.
- Burridge, A.K., A.W. Janssen & K.T.C.A. Peijnenburg, 2016. Revision of the genus *Cuvierina* Boas, 1886 based on integrative taxonomic data, including the description of a new species from the Pacific Ocean (Gastropoda, Thecosomata). *Zookeys* 619: 1-12, 3 figs, 1 tab.
- Büyükeriç, Y. & F.P. Wesselingh, 2018. New cockles (Bivalvia: Cardiidae: Lymnocardiinae) from Late Pleistocene Lake Karapınar (Turkey): Discovery of a Pontocaspian refuge? *Quaternary International* 465: 37-45, 1 fig., 4 pls.
- Buurman, P. & W.D. Langeraar. Depositional features in Oligocene tidal sediments of Valkenburg, province of Limburg, The Netherlands, with the description of a new lithostratigraphical unit: Valkenburg Deposit (Supplementary data). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 12(3): 109-111, 1 tab.
- Cadée, M.C., & A.W. Janssen, 1980. In memoriam D. van der Mark. *Afzettingen WTKG*, 1(4): 99-100.
- Cadée, M.C., & A.W. Janssen, 1983. The relation between *Streptochetus sexcostatus* (Beyrich, 1856) and *Streptochetus abruptus* (Beyrich, 1856) (Mollusca, Gastropoda) (Miocene, North Sea Basin). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 20(3): 95-104, 1 fig., 1 pl.
- Cadée, M.C., & A.W. Janssen, 1985. *Glibertturricula vervoeneni* gen. et sp. nov. (Mollusca, Gastropoda, Turridae), a common species from Rupelian deposits in Belgium and Poland. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 21(4)(1984): 179-191, 6 figs, 2 pls.
- Cadée, M.C., & A.W. Janssen, 1993. *Barbatia (Cucullaearca) vincenti* (Couffon, 1905), correct name for the so-called '*Barbatia bohemica*' from the Miocene of France. *Contributions to Tertiary and Quaternary Geology*, 29(3-4): 41-46, 1 pl.
- Cadée, M.C., & A.W. Janssen, 1994. A taxonomic revision of NW European Oligocene and Miocene Fascioliidae traditionally included in the genus *Streptochetus* (Mollusca, Gastropoda). *Contributions to Tertiary and Quaternary Geology*, 31(2-4): 31-107, 37 figs, 6 pls.
- Cadée, G.C., & F.P. Wesselingh, 2005. Van levend schelpdier naar fossiele schelp: tafonomie van Nederlandse strandschelpen. *Spirula*, 343: 36-52, 27 figs.
- Cadée, G.C., & F.P. Wesselingh, 2008. Van levend schelpdier naar fossiele schelp: tafonomie van Nederlandse strandschelpen. *Informatieblad Nederlandse Malacologische Vereniging*, 13: 1-20, 26 figs.
- Cahuzac, B., & A.W. Janssen, 2010. Eocene to Miocene holoplanktonic Mollusca (Gastropoda) of the Aquitaine Basin, southwest France. *Scripta Geologica*, 141: 1-193, 1 tab., 7 figs, 27 pls.
- Cahuzac, B., & A.W. Janssen, 2011. Les Ptéropodes. *l'Écho des Faluns* 28-29: 34-36, 5 figs, 1 pl.
- Cahuzac, B., & A.W. Janssen, 2011. Pteropoden. *Afzettingen WTKG* 32(2): 24-26, 5 figs.
- Cahuzac, B., & A.W. Janssen, 2011. Eocene tot miocene holoplanktonische mollusken van het Aquitaine Bekken, ZW Frankrijk. Presentatie van een eerste biozonering gebaseerd op pteropoden van het Cenozoïcum in de Aquitaine. *Afzettingen WTKG* 32(2): 27-33, 1 tab, 2 pls.
- Cahuzac, B., & A.W. Janssen, 2012. Présentation de la première biozonation basée sur les Ptéropodes (Mollusques holoplanctoniques) dans le Cénozoïque du Bassin d'Aquitaine. Origines de certains noms d'espèces. *L'Écho des Faluns*, 30-31-32: 37-40

- Cernohorsky, W.O. & G.J. Vermeij, 2011. *Nassarius wesselinghi*, new name for the homonymous *N. reductus* Vermeij and Wesselingh, 2002 (Gastropoda: Nassariidae). *Journal of Paleontology*, 85(1): 178
- Cleveringa, P., T. Meijer, R.J.W. van Leeuwen, H. de Wolf, R. Pouwer, T. Lissenberg & A.W. Burger, 2010. The Eemian stratotype locality at Amersfoort in the central Netherlands: a re-evaluation of old and new data. *Geologie en Mijnbouw / Netherlands Journal of Geosciences* 79(2/3): 197-216, 12 figs, 3 tabs.
- Cluzaud, A., J.-F. Lesport, B. Cahuzac & A. Janssen, 2014. Mollusques. In: L. Londeix (ed.). Stratotype Aquitainien. *Biotope, Mèze & Muséum national d'histoire naturelle, Paris*. 223-232.
- Cotton, L.J., A.W. Janssen, P.N. Pearson & R. van Driel, 2017. Pteropoda (Mollusca, Gastropoda, Thecosomata) from the Eocene/Oligocene boundary interval of three cored boreholes in southern coastal Tanzania and their response to the global cooling event. *Palaeontologia Electronica* 20.3.52A: 1-21, <https://doi.org/10.26879/733> [palaeo-electronica.org/content/2017/2024-pteropoda-from-tanzania](https://doi.org/10.26879/733)
- Dekkers, A.M., V. Liverani, S. Ćorić, S.J. Maxwell & B.M. Landau, 2020. A new genus for Indo-Pacific fossil strombids, and two new species from the Miocene of Java and Borneo (Caenogastropoda, Strombidae). *Basteria* 84(1-3): 1-9, 3 tabs, 10 figs.
- Dekkers, A.M., 2020. A new species of *Rostellariella* Thiele, 1929 from southern Java and the introduction of a new genus for *Gladius martinii* Maratt, 1877 (Gastropoda: Rostellariidae). *Gloria Maris* 59(3): 119-124, 2 pls.
- Dell'Angelo, B., B.M. Landau, F. Van Dingenen & L. Ceulemans, 2018. The upper Miocene chitons of northwest France (Mollusca: Polyplacophora). *Zootaxa* 4447(1): 1-62, 24 figs, 18 tabs.
- Dell'Angelo, B., J.-F. Lesport, A. Cluzaud & M. Sosso, 2018. The Oligocene to Miocene chitons (Mollusca: Polyplacophora) of the Aquitaine Basin, southwestern France, and Ligerian Basin, western France. Part 1: Leptochitonidae, Hanleyidae, Ischnochitonidae, Chitonidae, Spinochitonidae fam. nov. and Schizochitonidae. *Bolletino Malacologico* 54: 1-47, 9 figs, 2 tabs.
- Dell'Angelo, B., B.M. Landau, C. Marques da Silva & M. Sosso, 2022. Biogeography of northeastern Atlantic Neogene chitons (Mollusca, Polyplacophora): New data from the Pliocene of Portugal. *Journal of Palaeontology*, 96(4): 814-834, 13 figs. <https://doi.org/10.1017/jpa.2022.1>
- Dijkstra, H.H., & A.W. Janssen, 1988. *Capedopecten anellus* gen. et spec. nov. (Mollusca, Bivalvia: Pectinidae) from the Antwerp Sands (Miocene, Hemmoorian) in Belgium. *Basteria*, 52: 175-187, 8 figs.
- Donovan, S.K., 2007. A cautionary tale: razor shells, acorn barnacles and palaeoecology. *Palaeontology* 50(6): 1479-1484, 3 figs.
- Donovan, S.K. & C.R.C. Paul, 2013. Late Pleistocene land snails from 'red bed' deposits, Round Hill, south central Jamaica. *Alcheringa*, 37: 273-284, 5 figs, 2 tabs.
- Donovan, S.K., Jackson, T.A., Harper, D.A.T., Portell, R.W. & Renema, W., 2014. The Upper Oligocene of Antigua: the volcanic to limestone transition in a limestone Caribbean. *Geology Today*, 30(4): 151-158.
- Douka, K., 2011. An Upper Palaeolithic shell scraper from Ksar Akil (Lebanon). *Journal of Archaeological Science*, 38: 429-437, 5 figs.
- Douka, K., R.E.M. Hedges & T.F.G. Higham, 2010. Radiocarbon improved AMS 14C dating of shell carbonates using high-precision X-ray diffraction and a novel density separation protocol (CarDS). *Radiocarbon*, 52: 735-751, 5 figs, 1 tab.

- Douka, K., C.A. Bergma, R.E.M. Hedges, F.P. Wesselingh & T.F.G. Higham, 2013. Chronology of Ksar Akil (Lebanon) and Implications for the Colonization of Europe by Anatomically Modern Humans. *PLoS ONE*, 8(9): e72931. doi:10.1371/journal.pone.0072931
- Douka, K., T.F.G. Higham & C.A. Bergman, 2015. Statistical and archaeological errors invalidate the proposed chronology for the site of Ksar Akil. *Proceedings of the National Academy of Sciences*, 112(51) E7034. <https://doi.org/10.1073/pnas.1519746112>
- Dubois, E., 1908. Das geologische Alter der Kendeng- oder Trinil-Fauna. *Tijdschrift van het Koninklijk Nederlandsch Aardrijkskundig Genootschap*, 2^e serie, 25: 1235-1270, pl. 39
- Dulai, A., 2010. Early Messinian (Late Miocene) micromorphic brachiopods from Borelli (Italy, Piemonte). *Fragmenta Palaeontologica Hungarica* 28: 21-31, 1 fig, 3 pls.
- Dulai, A., & M. Stachacz, 2011. New Middle Miocene *Argyrotheca* (Brachiopoda; Megathyrididae) species from the Central Paratethys. *Földtani Közlöny*, 141/3: 283-291, 5 figs.
- Dulai, A., 2013. Sporadic Miocene brachiopods in the Naturalis Biodiversity Center (Leiden, the Netherlands): Records from the Mediterranean, the North Sea, and the Atlantic Ocean. *Fragmenta Palaeontologica Hungarica*, 30: 15-51, 69 figs.
- Dulai, A., 2015. Central Paratethyan Middle Miocene brachiopods from Poland, Hungary and Romania in the Naturalis Biodiversity Center (Leiden, the Netherlands). *Scripta Geologica*, 149: 185-211, 1 fig., 4 pls.
- Dulai, A., 2016. Sporadic Pliocene and Pleistocene brachiopods in the Naturalis Biodiversity Center (Leiden, the Netherlands): Records from the Mediterranean, and the North Sea. *Fragmenta Palaeontologica Hungarica*, 33: 65-98, 64 figs.
- Dulai, A., M. Gatt, P. Moissette, & A.W. Janssen, 2015. Oligocene and Miocene brachiopods of the Maltese Islands: taxonomy, diversity, distribution. In: Huang, B. & Shen, S. (eds). *The Brachiopod World. Abstracts for IBC 7. Permophiles, Newsletter of the Subcommission on Permian Stratigraphy*, 61, Supplement 1: 26-28.
- Dulai, A., 2019. New data on the Late Miocene brachiopod fauna of Tetti Borelli (Piedmont, N. Italy). *Rivista Italiana di Paleontologia e Stratigrafia* 125(1): 125-145, 1 fig., 3 pls, 4 tabs.
- Dulai, A., & F. von der Hocht, 2020. Upper Oligocene brachiopods from NW Germany, with description of a new Platidiinae genus, *Germanoplatidia* n. gen. *Rivista Italiana di Paleontologia e Stratigrafia* 126(1): 223-248, 1 fig., 2 tabs, 4 pls.
- Everaert, S., D.K. Munsterman, P.J. De Schutter, M. Bosselaers, Jeroen Van Boeckel, G. Cleemput & T.J. Bor, 2020. Stratigraphy and palaeontology of the lower Miocene Kiel Sand Member (Berchem Formation) in temporary exposures in Antwerp (northern Belgium). *Geologica Belgica* 23 (3-4), number 3-4 - The Neogene stratigraphy of northern Belgium: xxx-xxx. DOI: <https://doi.org/10.20341/gb.2020.025>
- Fehse, D., 1988. Einige neue Arten der Familie Marginellidae (Mollusca: Gastropoda) aus den eozänen Meeresablagerungen des Pariser Beckens. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 25(4): 227-235, 1 pl.
- Fehse, D., & B. van de Haar, 2015. Contributions to the knowledge of the Triviidae. XXVII. A new *Trivia* from the Plio-Pleistocene of Knokke, Belgium. *Visaya* 4(4): 21-28, 3 figs, 4 pls.
- Fischer, P.J., 1927. Beitrag zur kenntnis der Pliozän-fauna der Molukken-inseln Seran und Obi. *Paläontologie von Timor, nebst kleineren Beiträgen zur Paläontologie einiger anderen Inseln des Ostindischen Archipels. Ergebnisse der Expeditionen: G.A.F. Molengraaff, J. Wanner und F. Weber*, 15(25), 1-179.

- Fraussen, K., & P. Stahlschmidt, 2016. The extensive Indo-Pacific deep-water radiation of *Manaria* E. A. Smith, 1906 (Gastropoda: Buccinidae) and related genera, with descriptions of 21 new species, in Héros, V., E. Strong & P. Bouchet (eds), *Tropical Deep-Sea Benthos 29. Mémoires du Muséum national d'Histoire naturelle* 208: 363-456.
- Hiroshi Fukuda, H., S. Ishida, T. Watanabe, S. Yoshimatsu & T. Haga, 2021. The bivalve genus *Sunetta* Link, 1807 (Heterodonta: Veneridae) of Japan and the neighbouring waters – a taxonomic revision with the descriptions of three new species. *Molluscan Research*, DOI: 10.1080/13235818.2021.1937016
- Garvie, C.L., J. Goedert & A.W. Janssen, 2020. Paleogene and Late Cretaceous Pteropoda (Mollusca, Gastropoda, Heterobranchia) from North America. *Zootaxa* 4782: 1-115, 5 figs, 12 pls, 2 tabs.
- Gasca, R., & A.W. Janssen, 2013. Taxonomic review, molecular data and key to the species of Creseidae from the Atlantic Ocean. *Journal of Molluscan Studies*, 1–8. doi:10.1093/mollus/eyt038
- Gassó Miracle, M.E., & T. Monquil-Broersen (eds), 2020. *Van onschatbare waarde. 200 jaar Naturalis*. Zutphen (Walburg Pers): 1-318.
- Gemert, L.J. van, & R.G. Moolenbeek, 2010. Elly Koperberg (1897-1943): a necrology - better late than never -, with some notes on her new malacological taxa. *Miscellanea Malacologica*, 4(2): 21-25, 3 figs.
- Gemert, L.J. van, & R.G. Moolenbeek, 2010. Elly Koperberg (1897-1943): errata and addenda. *Miscellanea Malacologica*, 4(5): 73-74.
- Georgopoulou, E., T.A. Neubauer, A. Kroh, M. Harzhauser & O. Mandic, 2015. An outline of the European Quaternary localities with freshwater gastropods: Data on geography and updated stratigraphy. *Palaeontologia Electronica* 18.3.48A: 1-9. palaeo-electronica.org/content/2015/1328-quaternary-gastropods
- Giacobbe, S., W. Renda & A. Massimo, 2022. First contextualized marine record of *Parviturbo sertum* Tabanelli et al. 2019 (Gastropoda: Skeneidae) and comparison with the congeneric Mediterranean species. *Journal of Conchology*, 44(3): 213-226, 9 figs, 1 tab.
- Gittenberger, E., & T.E.J. Ripken, 1985. Seven Late Miocene species of terrestrial gastropods (Mollusca: Gastropoda: Pulmonata) from the island of Lanzarote, Canary Islands. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 88(4): 397-406, 19 figs.
- Gittenberger, E., 1992. A new, late Pleistocene, vitrinid species (Gastropoda Pulmonata: Vitrinidae) from the islet of Andikithira, Greece. *Basteria*, 56(4-6): 163-167, 6 figs.
- Gittenberger, E., & G.A. Goodfriend, 1993. Land snails from the last glacial maximum on Andikithira, southern Greece and their palaeoclimatic implications. *Journal of Quaternary Science*, 8(2): 109-116, 3 figs, 1 table.
- Gittenberger, E., & A.W. Janssen (eds), 1998. *De Nederlandse zoetwatermollusken. Recente en fossiele weekdieren uit zoet- en brakwater*. -- Nederlandse Fauna 2. (Nationaal Natuurhistorisch Museum Naturalis, KNNV Uitgeverij & EIS-Nederland, Leiden): 292 pp., 658 figs, 12 pls., tweede, herziene druk.
- Gladenkov, Yu. B., Norton, P.E.P. & Spalink, G. 1980. Verkii Kainozoic Islandii (Stratigrafiya Pliotsena-Pleistotsena i paleontologicheskie kompleksi) [Upper Cenozoic of Iceland (Pliocene-Pleistocene stratigraphy and palaeontological assemblages)]. *Acad. Sc. USSR, Transactions*, 345: 116 p. [In Russian with English summary].
- Goedert, J.L., J. Peckmann, S.R. Benham & A.W. Janssen, 2013. First record of the pteropod *Heliconoides nitens* (Gastropoda: Thecosomata: Limacinidae) from the Pacific Basin. *Proceedings of the Biological Society of Washington*, 126(1): 72-82, 2 figs.

- Goedert, J.L., S. Kiel & C.-H. Tsai, 2022. Miocene *Nautilus* (Mollusca, Cephalopoda) from Taiwan, and a review of the Indo-Pacific fossil record of *Nautilus*. *Island Arc* 2022;31:e12442. <https://doi.org/10.1111/iar.12442>
- Gorsel, J.T. van, 2014. An introduction to Cenozoic macrofossils of Indonesia. *Biostratigraphy of Southeast Asia*, part 2. *Berita Sedimentologi*, 30: 63-76, 11 figs, 1 tab.
- Grebneff, A., A.W. Janssen & D.E. Lee, 2011. A new euthecosomatous gastropod *Gamopleura maxwelli* sp.n. (Gastropoda: Cavolinioidea, Cavoliniidae) from the Late Oligocene of southern New Zealand. *New Zealand Journal of Geology and Geophysics*, 54(1): 69-74.
- Gürs, K., 1995. *Revision der marinen Molluskenfauna des Unteren Meeressandes (Oligozän, Rupelium) des Mainzer Beckens*. Thesis Johannes Gutenberg Universität Mainz, pp. 1-314, 64 pls.
- Gürs, K. & A.W. Janssen, 2002. Revised Pteropod Biostratigraphy for the Miocene of the North Sea Basin. In: K. Gürs (ed.). Northern European Cenozoic Stratigraphy. *Proceedings of the 8th biannual meeting of the RCNNS, RCNPS*, 117-131, 7 tabs, 2 pls. Flintbek, Landesamt für Natur und Umwelt Schleswig-Holstein.
- Gürs, K. & A.W. Janssen, 2004. Sea-level related molluscan plankton events (Gastropoda, Euthecosomata) during the Rupelian (Early Oligocene) of the North Sea Basin. *Netherlands Journal of Geosciences / Geologie en Mijnbouw*, 83(3): 199-208, 5 figs.
- Harbeck, K., 1996. Die Evolution der Archaeopulmonata. *Zoologische Verhandlungen Leiden*, 305: 1-133, 33 pls.
- Harzhauser, M. & G.C. Kronenberg, 2013. The Neogene strombid gastropod *Persististrombus* in the Paratethys Sea. *Acta Palaeontologica Polonica* 58(4): 785-802, 12 figs.
- Harzhauser, M., H. Raven, B.M. Landau, L. Kocsis, A. Adnan, M. Zuschin, O. Mandic & A. Briguglio, 2018. Late Miocene gastropods from northern Borneo (Brunei Darussalam, Seria Formation). *Palaeontographica, A: Palaeozoology – Stratigraphy* 313(1-3): 1-79, 3 figs, 1 tab., 11 pls.
- Heering, J., 1942. Die oligocänen taxodonten Bivalven aus dem Peelgebiete (die Niederlande). *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-2: 3-42, 4 pls.
- Heering, J., 1944. Die oberoligocänen Bivalven (mit Ausnahme der taxodonten) aus dem Peelgebiete (die Niederlande). *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-4: 3-48, 10 pls.
- Heering, J., 1950. Pelecypoda (and Scaphopoda) of the Pliocene and Older-Pleistocene deposits of the Netherlands. *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-9: 1-225, 17 pls, 1 tab..
- Heering, J., 1950. Miocene Pelecypoda of the Netherlands (Peel-Region). *Mededeelingen van de Geologische Stichting*, Serie C-IV-1-9: 1-51, 8 pls.
- Helwerda, R.A., F.P. Wesselingh & S.T. Williams, 2014. On some Vetigastropoda (Mollusca, Gastropoda) from the Plio-Pleistocene of the Philippines with descriptions of three new species. *Zootaxa*, 3755(2): 101-135.
- Helwerda, R.A. & F.P. Wesselingh, 2014. Revision of Scissurellidae, Anatomidae and Fissurellidae (Gastropoda: Vetigastropoda) from the Plio-Pleistocene of the Philippines. *Zootaxa*, 3838(2): 183-194.
- Helwerda, R.A., 2015. Acteonidae, Bullinidae and Ringiculidae (Gastropoda: Heterobranchia) from the Plio-Pleistocene of the Philippines. *Zootaxa*, 3990(2): 197-220.
- Helwerda, R.A., 2017. Conidae and Terebridae (Gastropoda: Neogastropoda) from the Plio-Pleistocene of the Philippines. *Zootaxa*, 4221(5): 545-561.

- Herman, J, H. Van Waes, H. Doutrelepont, L. Kenis, J. Van Nuffel, J. Cloetens, E. Vanderhoeft & M. Vervoenen, 2013. Additional Contributions to the Knowledge of the Sediments, Taphonomy, Ichnofossils, Bacteria, Invertebrata, Vertebrata, Algae and Plantae of the *Sint Niklaas Phosphorite Bed* in its type locality: Sint Niklaas (Eastern Flanders, Belgium). Part Two: Invertebrata. *Géominpal Belgica*, 5: 1-240, pls 1-101. [electronic publication].
- Hoek Ostende, L.W. van den, J. Leloux, F.P. Wesselingh & C.F. Winkler Prins, 2002. Cenozoic Molluscan types from Java (Indonesia) in the Martin Collection (Division of Cenozoic Mollusca), National Museum of Natural History, Leiden. *NNM Technical Bulletin*, 5: 1-130, 3 pls.
- Hoeksema, D.F. & A.W. Janssen, 1984. Rediscovery of the marine gastropod *Spiricella unguiculus* Rang, 1827 (Euthyneura, Umbraculidae) in Miocene deposits of the North Sea Basin and in the Recent fauna of South West Europe. *Basteria*, 48: 7-11, 8 figs.
- Hoeksema, D.F., & A.C. Janse, 2010. An extension of the geographical and stratigraphical distribution of the European marine bivalve *Montacuta goudi* Van Aartsen, 1997 (Bivalvia, Galeommatoidea, Montacutidae). *Basteria*, 74(1-3): 63-67.
- Hoeksema, D.F. & J.A. Todd, 2015. Recognition of the marine gastropod *Caecum tumidum* Carpenter, 1858 (Caenogastropoda, Truncatelloidea) in the Pliocene of the North Sea Basin. *Basteria*, 79(4-6): 105-113.
- Hoeksema, D.F. & H.J. Raad, 2015. De fossiele schelpen van de Nederlandse kust II, deel 10. Hydrobiidae, Cochliopidae, Iravadiidae, Truncatellidae en Caecidae. *Spirula*, 402: 24-29.
- Hoeksema, D.F., G.F. Simons & F.P. Wesselingh, 2018. De fossiele schelpen van de Nederlandse kust II, deel 14. Turbinidae, Colloniidae, Phasianellidae, Skeneidae, Skeneopsidae, Tornidae, Architectonicidae en Omalogyridae. *Spirula*, 417: 12-21, 23 figs.
- Hoeksema, D.F., A.C. Rijken & G.F. Simons, 2020. *Moelleria jansseni* spec. nov. and *Skeneopsoides dejongi* gen. et spec. nov., two skeneimorph marine gastropods with obtuse axial ribs from the Plio-Pleistocene of nw Europe (Vetigastropoda, Trochoidea, Colloniidae, Skeneidae). *Vita Malacologica* 19: 5-10.
- Hoeksema, D.F., & G.F. Simons, 2020. *Skenea wesselinghi* spec. nov., a new marine gastropod from the Pliocene of the southern North Sea Basin (Vetigastropoda, Trochoidea, Skeneidae). *Vita Malacologica* 19: 1-4.
- Icke, H., & K. Martin, 1912. Over Tertiaire en Kwartaire vormingen van het eiland Nias. *Sammlungen des Geologischen Reichs-Museums in Leiden. Serie 1, Beiträge zur Geologie Ost-Asiens und Australiens*, 8(1): 204-252, pls XIV-XVIII.
- Ijspeert, C., 1942. Monographie der miozänen taxodonten Bivalven aus dem Peelgebiete (die Niederlande). *Mededeelingen van de Geologische Stichting, Serie C-IV-1-1*: 3-72, 4 pls.
- Ishikawa, M. & T. Kase, 2007. Multiple predatory drill holes in *Cardiolucina* (Bivalvia: Lucinidae): Effect of conchiolin sheets in predation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 254: 508-522, 10 figs.
- Ishikawa, M. & T. Kase, 2007. Spionid bore hole *Polydorichnus subapicalis* new ichnogenus and ichnospecies: a new behavioral trace in gastropod shells. *Journal of Paleontology*, 81(6): 1466-1475, 7 figs, 3 tabs.
- Jagt, J.W.M., & E.A. Jagt-Yazykova, 2019. Late Cretaceous and Cenozoic cephalopods from the southern North Sea Basin: stocktaking and future directions. *Vita Malacologica* 18: 1-33, 75 figs, 4 tabs.
- Jagt, J.W.M., & A.W. Janssen, 1988. *Jouannetia* (Bivalvia, Pholadidae) and *Neritopsis* (Gastropoda, Neritopsidae), two molluscs from the Danian (Palaeocene) of the Maastricht area (SE

- Netherlands and NE Belgium). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 25(2-3): 163-174, 1 fig., 2 pls..
- Janse, A.C. & A.W. Janssen, 1983. The molluscan fauna of the Stermerdink Bed (Miocene, Reinbekian) from outcrops in the Slinge brook at Winterswijk-Brinkheurne (The Netherlands, Province of Gelderland). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 20(3): 105-140, 11 figs, 2 tabs, 2 pls.
- Janse, A.C., P.W. Moerdijk & T. Meijer, 2003. First record of *Megayoldia thraciaeformis* (Storer, 1838) (Bivalvia) from the Pleistocene of the North Sea Basin. *Cainozoic Research*, 2(1-2), 139-142, 2 figs.
- Janssen, A.W., 1966. Het Mioceen van Delden II. De invertebraten uit het Twente-kanaal bij Delden. *Natuurhistorisch Maandblad* 55(7-8): 101-116, 1 fig., 3 pls.
- Janssen, A.W. & D. van der Mark, 1968. Einleitung zu den Beiträgen zur Kenntnis der Molluskenfauna des jüngeren Tertiärs im Nordseebecken. *Basteria* 32(4-5): 76-82.
- Janssen, A.W. & L. van der Slik, 1971. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 4. *Basteria* 35(1-4): 41-50, pls 15-26.
- Janssen, A.W. & L. van der Slik, 1972. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 5. *Basteria* 36(2-5): 171-180, pls 27-33.
- Janssen, A.W., 1972. Die Mollusken-Fauna der Twistringer Schichten (Miozän) von Norddeutschland. *Scripta Geologica*, 10: 1-96, 42 figs, 11 pls.
- Janssen, A.W. & L. van der Slik, 1974. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 6. *Basteria* 38: 45-81.
- Janssen, A. W., & L. van der Slik, 1974. Bemerkungen zu der Astartiden-Fauna des jüngeren Känozoikums des Nordseebeckens. *Scripta Geologica*, 22: 1-23, 3 figs, 4 pls.
- Janssen, A.W. & L. van der Slik, 1978. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 7. *Basteria* 42: 49-72.
- Janssen, A.W., 1978. Reworked fossils (mainly molluscs) from a fluvioglacial deposit near Dinxperlo, province of Guelders, The Netherlands. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 15(2): 53-65, 1 fig., 2 tabs, 1 pl.
- Janssen, A.W., 1979. Over de molluskenfauna van de Nuculaklei en de relatieve ouderdom van enkele midden-oligocene afzettingen in Belgisch Limburg. *Afzettingen WTKG*, 0(1): 10-18.
- Janssen, A.W., 1980. A mollusc-fauna with '*Pseudamnicola*' *helicella* (Braun) from the Atuatuca Formation (Oligocene) at St.-Truiden (Belgium, province of Limburg). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 17(2): 43-55, 1 tab., 2 pls
- Janssen, A.W., 1981. A Holocene mollusc faunule from a temporary excavation near Standdaarbuiten The Netherlands, Province of Noord Brabant. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 18(1): 29-36, 2 figs, 1 pl.
- Janssen, A.W., 1983. Het geologisch reservaat "De Kauter" te Nieuw-Namen (Zeeuwsch-Vlaanderen, gemeente Hulst). *Jaarboek Oudheidkundige Kring "De vier Ambachten"* (1982-1983): 193-208, 3 figs.
- Janssen, A.W., 1983. De Kauter, geologisch reservaat te Nieuw-Namen (Zeeuwsch-Vlaanderen, gemeente Hulst). *Afzettingen WTKG*, 4(2): 27-36.
- Janssen, A.W., 1984. An account of the Cancellariidae (Gastropoda) of Winterswijk-Miste (Miocene, Hemmoorian), The Netherlands. *Scripta Geologica*, 68: 1-39.

- Janssen, A.W., 1984. Late Oligocene molluscs from a sand-pit near Máriahalom (Hungary): a preliminary study. – *Annales Universitatis Scientiarum Budapestinensis de Ronaldo Eötvös nominatae (Sectio Geologica)*, 24: 109-150, 3 figs, 4 pls.
- Janssen, A.W., 1984. *Mollusken uit het Mioceen van Winterswijk-Miste. Een inventarisatie, met beschrijvingen en afbeeldingen van alle aangetroffen soorten*. Amsterdam (K.N.N.V., N.G.V. & R.G.M.), 451 pp., 4 tabs, 7 figs, atlas with 82 pls.
- Janssen, A.W., G.A. Peeters & L. van der Slik, 1984. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 8 (slot). *Basteria* 48(4-5): 91-219.
- Janssen, A.W., 1985. Evidence for the occurrence of a "skinny" or "minute stage" in the ontogenetical development of Miocene *Vaginella* (Gastropoda, Euthecosomata) from the North Sea and Aquitaine Basins. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 21(4)(1984): 193-204, 13 figs.
- Janssen, A.W. & P. Müller, 1985. Miocene Decapoda and Mollusca from Ramsel (province of Antwerpen, Belgium), with a new crab genus and a new cephalopod species. *Scripta Geologica*, 75(1984): 1-26, 4 figs, 5 pls.
- Janssen, A.W., 1985. Over de geschiedenis van de Fossielenatlas. Voordracht gehouden op zaterdag 29 september 1984 in Teyler's Museum te Haarlem ter gelegenheid van het 50-jarig jubileum van de Nederlandse Malacologische Vereniging. *Correspondentieblad van de Nederlandse Malacologische Vereniging*, 223: 28-32.
- Janssen, A.W., 1985. Ontsluitingen in het Bekken van Aquitaine. – *Afzettingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 6(3): 74-97, 1 tab., 15 figs; 6(4): 104-129, 24 figs.
- Janssen, A.W., 1986. On the identity of *Gonilia mioglypta* Nordsieck, 1972 (Mollusca, Bivalvia) from the Miocene (Hemmoorian) of Winterswijk-Miste, The Netherlands. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 23(1), 43-45.
- Janssen, A.W., & J. Jagt, 1987. Late Oligocene fossiliferous concretions of local origin from Quaternary Rhine-deposits at Kamp-Lintfort, Lower Rhine District, F.R.G., with a description of *Schizaster* (*Schizaster*) sp. (Echinodermata, Spatangoida). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 24(4), 247-260.
- Janssen, A.W., 1987. Verslag van de WTKG zomere excursie 1987 in de omgeving van Nantes en Angers (Frankrijk). *Afzettingen WTKG* 8(4): 75-94.
- Janssen, A.W., & C. King, 1988. Planktonic molluscs (Pteropods). In: R. Vinken et al. (eds). The Northwest European Tertiary Basin. Results of the International Geological Correlation Programme Project no 124. *Geologisches Jahrbuch*, (A) 100: 356-368, figs 188-207.
- Janssen, A.W., 1989. Some new pteropod species from the North Sea Basin Cainozoic (Mollusca, Gastropoda, Euthecosomata). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 26(3): 91-133, 5 figs, 8 pls.
- Janssen, A.W., 1990. Pteropoda (Gastropoda, Euthecosomata) from the Australian Cainozoic. *Scripta Geologica*, 91 (1989): 1-76.
- Janssen, A.W., 1990. Pteropod species (Mollusca, Gastropoda, Euthecosomata) from the Late Oligocene of Mogenstrup, Jylland, Denmark. *Contributions to Tertiary and Quaternary Geology*, 27(2-3): 83-91.
- Janssen, A.W., 1990. *Lyria* (*Lyria*) *picturata* (de Grateloup, 1834) from the Miocene of Winterswijk-Miste, The Netherlands, with notes on related taxa (Mollusca, Gastropoda). *Contributions to Tertiary and Quaternary Geology*, 27(4): 117-123, 1 pl.

- Janssen, A.W., & I. Zorn, 1993. Revision of Middle Miocene holoplanktonic gastropods from Poland, published by the late Wilhelm Krach. *In*: Janssen, A.W., & R. Janssen: Proceedings Symposium 'Molluscan palaeontology' 11th International Malacological Congress, Siena, Italy, 30th August – 5th September 1992. *Scripta Geologica*, Special Issue 2: 155-236, 13 figs, 11 pls, 6 tabs.
- Janssen, A.W., 1993. [A. Riewé, 1993] De oesters van Sint Niklaas. *Afzettingen WTKG* 14(3): 10-12.
- Janssen, A.W., 1995. Systematic revision of the holoplanktonic Mollusca in the collections of the "Dipartimento di Scienze della Terra" at Torino, Italy. *Museo Regionale di Scienze Naturali Torino, Monografie XVII*: 1-118, 9 pls.
- Janssen, A.W., & H.H. Dijkstra, 1996. Morphological differences between two species of *Palliolurn* (Bivalvia: Pectinidae). *Basteria* 59: 107-113, 9 figs, 1 tab.
- Janssen, A.W., 1998. Holoplanktonic Mollusca (Gastropoda: Heteropoda and Thecosomata) from the Pliocene Bowden Beds, Jamaica. *In*: Donovan, S.K. (ed.). The Pliocene Bowden shell bed, southeast Jamaica. *Contributions to Tertiary and Quaternary Geology*, 35(1-4): 95-111, 2 pls.
- Janssen, A.W., 1998. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 1. Holoplanktonic Molluscs from the Miocene of Wadi Gharandel, Western Sinai (Egypt), revised. *Basteria* 62: 193-196.
- Janssen, A.W., 1998. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 2. *Edithinella curva* sp. nov. from the Bockup Sandstone (Miocene, Reinbekian) of Wanzeberg near Ludwigslust (Mecklenburg-Vorpommern, Germany). *Basteria* 62: 241-244, 1 fig.
- Janssen, A.W., 1999. Euthecosomatous gastropods (Mollusca: Heterobranchia) from Buton (SE Sulawesi, Indonesia), with notes on species from Viti Levu, Fiji; systematics, biostratigraphy. – *Geologie en Mijnbouw*, 78: 179-189, 4 tabs, 13 figs.
- Janssen, A.W., 1999. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 4. A collection of euthecosomatous pteropods from the Miocene of the Karaman Basin, Turkey. *Basteria* 63: 11-15, 4 figs.
- Janssen, A.W., 1999. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 6. Biostratigraphical interpretation of an assemblage from Poggio Musenna (Sicily, Italy) in comparison to northern Italian and Maltese localities. *Basteria* 63: 111-120, 12 figs.
- Janssen, A.W., 1999. Neogene Paleontology in the Northern Dominican Republic 20. Holoplanktonic Mollusks (Gastropoda: Heteropoda and Thecosomata). *Bulletins of American Paleontology* 358: 1-40, 3 figs, 3 tabs, 5 pls.
- Janssen, A.W., 2000. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 7-9. 7, *Clio lucai* spec. nov. from the Plio/Pleistocene of northern Italy, with notes on evolutionary lineages of the genus *Clio*; 8, *Cavolinia grandis* (Bellardi, 1873) from the Early Pliocene of New Zealand, a further example of long-distance correlation by means of pteropods; 9, apertural reinforcements in *Lirnacina atypica* (Laws, 1944) from the Miocene of New Zealand. *Basteria* 64: 35-50, 13 figs, 2 tabs.
- Janssen, A.W., 2001. The Nieder Ochtenhausen Borehole: Sampling of the Core for Macropalaeontological Analysis and Results on Holoplanktonic Mollusca (Pteropods). *In*: K.-J. Meyer (ed.). Forschungsbohrung Nieder Ochtenhausen. Ein Beitrag zur Miozän-Stratigrafie in NW-Deutschland. *Geologisches Jahrbuch*, A152: 341-355, 2 figs, 1 tab, 1 pl.
- Janssen, A.W., & K. Gürs, 2002. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 12. On the identity of *Hyalea perovalis* Von Koenen, 1882 (Mollusca, Gastropoda, Euthecosomata) from the Early Miocene of the North Sea Basin. *Basteria* 66: 143-148, 4 figs.

- Janssen, A.W., & R.E. Petit, 2003. *Brocchinia gerdae*, a new cancellariid gastropod from the Late Langhian (Miocene) of NW Germany. *Cainozoic Research*, 2(1-2): 157-162, 8 figs, 1 tab.
- Janssen, A.W., 2003. Het mistte in Miste. Voordracht gehouden op de jubileumvergadering van 6 december 2003. *Afzettingen WTKG, Mistenummer*: 37-41.
- Janssen, A.W., 2004. Fossils from the Lower Globigerina Limestone Formation at Wardija, Gozo (Miocene, Aquitanian), with a description of some new pteropod species (Mollusca, Gastropoda). *The Central Mediterranean Naturalist*, 4(1) (December 2003): 1-33, 5 figs., 4 pls.
- Janssen, A.W., 2004. Holoplanktonic molluscan assemblages from the Pliocene of Estepona (Spain, Málaga). *Palaeontos*, 5: 103-131, 4 tabs., 4 figs., 4 pls.
- Janssen, A.W., 2005. Development of Cuvierinidae (Mollusca, Euthecosomata, Cavolinioida) during the Cainozoic: a non-cladistic approach with a re-interpretation of Recent taxa. *Basteria*, 69: 25-72, 36 figs.
- Janssen, A.W., 2005. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 14. A new species of *Vaginella* (Gastropoda, Euthecosomata, Cavoliniidae) from the Late Oligocene of the North Sea Basin and its bearing on Chattian biostratigraphy. *Basteria*, 69(1-3): 73-80, 4 tabs, 2 figs.
- Janssen, A.W., 2006. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 15. Description of *Edithinella doliarius* spec. nov. (Gastropoda, Euthecosomata), from the Miocene (Langhian) of the Maltese archipelago. *Basteria, supplement* 3: 45-48, 1 fig.
- Janssen, A.W., 2006. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 17. On the status of some pteropods (Gastropoda, Euthecosomata) from the Miocene of New Zealand, referred to as species of *Vaginella*. *Basteria*, 70(1-3): 71-83, 34 figs, 1 tab.
- Janssen, A.W., 2006. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 18. On the status of *Cuvierina* (*Cuvierina*) *ludbrookii* and *C. (C.) jagti* (Gastropoda, Euthecosomata). *Basteria*, 70(1-3): 85-88, 3 figs.
- Janssen, A.W., 2007. Uit d'oude doos: ontsluiting en boring A 1 bij kasteel Alde Biesen, 1972. *Afzettingen WTKG*, 28(2): 37-41, 8 figs.
- Janssen, A.W., 2007. Holoplanktonic Mollusca (Gastropoda: Pterotracheoidea, Janthinoidea, Thecosomata and Gymnosomata) from the Pliocene of Pangasinan (Luzon, Philippines). *Scripta Geologica*, 135: 29-177, 25 pls., 8 figs., 27 tables.
- Janssen, A.W., 2007. Holoplanktonic Mollusca (Gastropoda) from the Gulf of Aqaba, Red Sea and Gulf of Aden (Late Holocene-Recent). *The Veliger*, 49(3): 140-195, 3 tabs, 7 figs., 24 pls
- Janssen, A.W., K.I. Schmetler & C. Heilmann-Clausen, 2007. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 19. Pteropods (Gastropoda, Euthecosomata) from the Eocene Lillebaelt Clay Formation (Denmark, Jylland). *Basteria*, 71(4-6): 157-168, 13 figs.
- Janssen, A.W., 2008. *Heliconoides linneensis* sp. nov., a new holoplanktonic gastropod (Mollusca, Thecosomata) from the Late Oligocene of the Aquitaine Basin (France, Landes). *Zoologische Mededelingen Leiden*, 82: 69-72, figs. 1-7.
- Janssen, A.W., 2008. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 20. A new pteropod genus and species, *Hameconia edmundi* gen. nov. spec. nov. (Mollusca, Gastropoda, Sphaerocinidae), from the Late Oligocene of SW France. *Basteria*, 72: 159-163, 5 figs.

- Janssen, A.W., A. Kroh & S.P. Ávila, 2008. Early Pliocene heteropods and pteropods (Mollusca, Gastropoda) from Santa Maria Island (Azores, Portugal): systematics and biostratigraphic implications. *Acta Geologica Polonica*, 58: 355-369, 1 tab, 6 figs., 1 pl.
- Janssen, A.W., & R.R. Seapy, 2009. On the identity and distribution of *Atlanta inflata* Gray, 1850 (Gastropoda, Pterotracheoidea, Atlantidae) in the world's oceans. *Basteria*, 73(4-6): 139-157, 12 figs, 3 tabs.
- Janssen, A.W., 2009. De 'fossielenatlas': meer dan 50 jaar historie ... de mensen, de feiten. In: Cadée, G.C., S. van Leeuwen & J.J. ter Poorten (eds). *Schitterende schelpen en slijmerige slakken; 75 jaar NMV: malacologie als hobby en professie*. Nederlandse Malacologische Vereniging: 36-46, 15 figs.
- Janssen, A.W., & C.T.S. Little, 2010. Holoplanktonic Gastropoda (Mollusca) from the Miocene of Cyprus: systematics and biostratigraphy. *Palaeontology*, 53(5): 1111–1145, 7 figs, 7 pls, 1 tab.
- Janssen, A.W., 2010. Een pteropode nieuw voor het Plioceen van Estepona (Spanje). *Afzettingen WTKG*, 31(3): 62-64, 1 tab., 1 fig.
- Janssen, A.W., 2010. Pteropods (Mollusca, Euthecosomata) from the Early Eocene of Rotterdam (The Netherlands). *Scripta Geologica, Special Issue*, 7: 161-175, 17 figs. 2 tabs.
- Janssen, A.W., 2011. Boorders en holtebewonende bivalven. *Afzettingen WTKG*, 32(1): 8-9.
- Janssen, A.W., C. King & E. Steurbaut, 2011. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 21. Early and Middle Eocene (Ypresian-Lutetian) holoplanktonic Mollusca (Gastropoda) from Uzbekistan. *Basteria* 75(4-6): 71-93, 84 figs.
- Janssen, A.W., 2012. Late Quaternary to Recent holoplanktonic Mollusca (Gastropoda) from bottom samples of the eastern Mediterranean Sea: systematics, morphology. *Bollettino Malacologico*, 48: 1-105 (suppl. 9)
- Janssen, A.W., 2012. Systematics and biostratigraphy of holoplanktonic Mollusca from the Oligo-Miocene of the Maltese Archipelago. *Bollettino del Museo Regionale di Scienze Naturali*, 28(2)(2010): 197-605, 72 figs, 27 plates.
- Janssen, A.W., 2012. Early Pliocene heteropods and pteropods (Mollusca, Gastropoda) from Le Puget-sur-Argens (Var), France. *Cainozoic Research*, 9(2): 145-187, 10 figs, 2 tabs, 11 pls.
- Janssen, A.W., 2012. Validation of holoplanktonic molluscan taxa from the Oligo-Miocene of the Maltese Archipelago, introduced in violation with ICZN regulations. *Cainozoic Research*, 9(2): 189-191.
- Janssen, A.W., & A. Grebneff, 2012. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 22. Further pelagic gastropods from Viti Levu, Fiji Archipelago. *Basteria*, 76 (1-3): 15-30, 19 figs, 3 tabs.
- Janssen, A.W., & K.T.C.A. Peijnenburg, 2013. Holoplanktonic Mollusca: Development in the Mediterranean Basin during the last 30 million years and their future. In: S. Goffredo & Z. Dubinsky: *The Mediterranean Sea. Its history and present challenges*. Springer Science +Business Media. 341-362.
- Janssen, A.W., W. Renema & F.P. Wesselingh, 2013. Notes on the systematics, morphology and biostratigraphy of fossil holoplanktonic Mollusca, 23. A new pteropod, *Tibiella watupuruensis* spec. nov. (Thecosomata, Creseidae), from Eocene (early Bartonian) rocks of the Nanggulan Formation, Java (Indonesia). *Basteria*, 77(1-3): 13-16, 3 figs.

- Janssen, A.W., J.W.M. Jagt, M. Yazdi, A. Barhami & S. Sadri, 2013. Early-middle Eocene faunal assemblages from the Soh area, north-central Iran, 1. Introduction and pteropods (Mollusca, Gastropoda, Thecosomata). *Cainozoic Research*, 10(1-2): 23-34, 16 figs.
- Janssen, A.W., 2013. Biostratigraphic interpretation of Miocene holoplanktonic mollusc assemblages from Gargano and Salento (Puglia), Italy. *Journal of Mediterranean Earth Sciences*, 5: 229-244, 12 figs, 3 tabs.
- Janssen, A.W., & F.P. Wesselingh, 2014. Herinneringen aan Gijs Peeters. *Afzettingen*35(3): 90-92.
- Janssen, A.W., R. Janssen, S. Tracey, L.M.B. Vaessen & J. van der Voort, 2014. History of a marine, Cainozoic gastropod taxon, *Conus antdiluvianus* Bruguière, 1792 and its nomenclatural implications. *Cainozoic Research* 14(1): 73-90, 19 figs.
- Janssen, A.W., R. Janssen & J. van der Voort, 2015. *Spaniodontella* Andrussow in Goloubiatnikow, 1902 – a critical survey of use and validity of the genus, and its relationship to the genus *Alveinus* Conrad, 1865 (Mollusca, Bivalvia: Glossoidea, Kelliellidae). *Cainozoic Research*, 15(1-2): 127-146, 10 figs., 2 pls.
- Janssen, A.W., J.A. Sessa & E. Thomas, 2016. Pteropoda (Mollusca, Gastropoda, Thecosomata) from the Paleocene-Eocene Thermal Maximum (United States Atlantic Coastal Plain). *Palaeontologia Electronica* 19.3.47A: 1-26, palaeo-electronica.org/content/2016/1662-pteropoda-from-the-usa-petm
- Janssen, A.W. & L.L. Hellyar, 2016. Pteropoda (Mollusca, Gastropoda, Euthecosomata) from the Miocene Taumarunui Formation of New Zealand. *New Zealand Journal of Geology and Geophysics*, <http://dx.doi.org/10.1080/00288306.2016.1256329>, published online 16 dec. 2016.
- Janssen, A.W., 2016. *Clade Thecosomata* de Blainville, 1824; *Age of the assemblage* (part). In: Landau, B.M., Silva, C.M. da, Heitz, A. & Jansen [sic], A.W. Systematics of the gastropods of the lower–middle Miocene Cantaure Formation, Paraguaná Formation, Paraguaná Peninsula, Venezuela. *Bulletins of American Paleontology*, 389-390: 278-282, 285, pl. 95.
- Janssen, A.W., R. Pouwer, F. Wesselingh, E. de Vogel, & P. Sonius, 2017. Oproep: op weg naar een nieuw 'Miste-boek'? *Spirula* 410: 12-13, 2 figs.
- Janssen, A.W., R. Pouwer, F. Wesselingh, E. de Vogel, & P. Sonius, 2017. Oproep: op weg naar een nieuw 'Miste-boek'? *Afzettingen WTKG*, 38(1): 4-5. 3 figs.
- Janssen, A.W., A.K. Burrige, L. Mekkes & K.T.C.A. Peijnenburg, 2018. History of the *Clio pyramidata*-complex (Mollusca, Gastropoda, Euthecosomata, Cliidae) in the Atlantic Ocean, restoring its original concept. *Basteria* 82(4-6): 83-102, 26 figs, 1 tab.
- Janssen, A.W., S.L. Bush & N. Bednaršek, 2019. The shelled pteropods of the northeast Pacific Ocean (Mollusca: Heterobranchia, Pteropoda). *Zoosymposia* 13: 305–346, 63 figs.
- Janssen, A.W., & B. Wilson, 2019. A collection of juvenile holoplanktic Mollusca (Gastropoda, Pterotracheoidea and Pteropoda) from the Miocene of Trinidad, with the introduction of the new genus *Chriskingia*. *Cainozoic Research* 19(1): 79-94, 4 figs, 2 pls, 2 tabs.
- Janssen, A.W., A.N. van der Bijl, J. Goud, K.T.C.A. Peijnenburg, R. Pouwer, R., D. Wall-Palmer & F.P. Wesselingh, 2020. The Naturalis collections of pelagic Gastropoda (Mollusca). *Basteria* 84 (4-6): 215-264, 17 figs, 18 tabs, 3 appendices.
- Janssen, A.W., & Lenaerts, J., 2019. Notes on the systematics, morphology and biostratigraphy of holoplanktic Mollusca, 26. An unexpected pteropod occurrence (Euthecosomata, Limacinidae) in euryhaline Early Oligocene mollusc assemblages in the Belgian province of Limburg. *Basteria* 83 (4-6): 102-108, 12 figs.

- Janssen, R., 1987. Evolution and stratigraphical distribution of Oligocene and Miocene Scaphopoda in the North Sea basin. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 24(1-2): 171-180, 2 figs.
- Janssen, R., 1989. Einige neue Scaphopoden aus dem Oligozän und Miozän des Nordseebeckens. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 26(3): 79-90, 2 pls.
- Janssen, R., 1993. Taxonomy, evolution and spreading of the turrid genus *Spirotropis* (Gastropoda: Turridae). In: Janssen, A.W., & R. Janssen: Proceedings Symposium 'Molluscan palaeontology' 11th International Malacological Congress, Siena, Italy, 30th August – 5th September 1992. *Scripta Geologica*, Special Issue 2: 237-261, 2 figs., 5 pls.
- Janssen, R. & F. von der Hocht, 2009. A remarkable new species of Architectonicidae from the Oligocene of the Lower Rhine embayment (Germany). (Gastropoda: Heterobranchia: Architectonicidae). *Arch. Molluskenkunde*, 138(2): 205-212, 2 figs, 2 tabs.
- Janssen, R., 2015. A review of the Oligocene Limopsidae of the North Sea Basin (Mollusca: Bivalvia). *Geologica Saxonica*, 61(1): 7-33.
- Joordens, J.C.A., F. d'Errico, F.P. Wesselingh, S. Munro, J. de Vos, J. Wallinga, C. Ankjærgaard, T. Reimann, J.R. Wijbrans, K.F. Kuiper, H.J. Mùcher, H. Coqueugniot, V. Prié, I. Joosten, B. van Os, A.S. Schulp, M. Panuel, V. van der Haas, W. Lustenhouwer, J.J.G. Reijmer & W. Roebroeks, 2015. *Homo erectus* at Trinil on Java used shells for tool production and engraving. *Nature*, 518(7538): 228-231. doi:10.1038/nature13962, published online 4 December 2014.
- Karnekamp, C., 2000. *Strobilops vanderdussenii*, a new Miocene (Sarmatian) gastropod species of the Nördlinger Ries (Bavaria, Germany). *Contributions to Tertiary and Quaternary Geology*, 37(3-4): 35-37.
- Kiel, S., 2013. Lucinid bivalves from ancient methane seeps. *Journal of Molluscan Studies*, 79: 346-363.
- Klomp maker, A.A., & P.H. Kelley, 2015. Shell ornamentation as a likely exaptation: evidence from predatory drilling on Cenozoic bivalves. *Paleobiology*, 41(1): 187-201, 6 figs, 3 tabs.
- Koperberg, E. J., 1931. *Jungtertiäre und Quartäre Mollusken von Timor*. Thesis Universiteit van Amsterdam: i-xii + 1-165, 3 pls [also published in: *Jaarboek van het Mijneuzen in Nederlandsch-Indië* 59 (1930, published 1931). *Verhandelingen*, 1: 1-165, 3 pls]
- Košťák, M., & J.W.M. Jagt, 2018. A new species of *Sepia* (Cephalopoda, Coleoidea) from the Miocene of northwest Germany: a contribution to sepiid palaeobiogeography. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen* 288(3): 273-281, 4 figs
- Košťák, M., J.W.M. Jagt & J. Schlögl, 2018. Diversity and distribution of Miocene-Pliocene sepiids (Cephalopoda) in the Mediterranean area, with new records from Italy and Turkey. *Swiss Journal of Palaeontology* 138: 99-108, 6 figs. <https://doi.org/10.1007/s13358-018-0179-4>
- Kroonenberg, S., 2020. *De man van de berg. Friedrich Voltz (1828-1855), jonggestorven natuuronderzoeker in Suriname*. Zutphen (Walburg Pers): 318 pp.
- Krull, A., F. van Nieulande & R. Pouwer, 2018. Een brok zeebodem uit het Eoceen van Oosterzeele (B). *Voluta* 24(2): 4-7, 3 figs.
- Kuijper, W.J., 2006. Flora en fauna in en rond een Scheldegeul bij Kallo op het einde van het atlanticum (Beveren, prov. Oost-Vlaanderen). *Relicta*, 1: 29-48, 8 figs, 2 tabs.
- Kusworo, A., S. Reich, F.P. Wesselingh, N. Santodomingo, K.G. Johnson, J. Todd & W. Renema, 2015. Diversity and paleoecology of Miocene coral-associated mollusks from East-Kalimantan (Indonesia). *Palaios*, 30: 116-127, 6 figs, 3 tabs.

- Landau, B.M., M. Harzhauser & A.G. Beu, 2009. A Revision of the Tonnoidea (Caenogastropoda, Gastropoda) from the Miocene Paratethys and their Palaeobiogeographic Implications. *Jahrbuch der Geologischen Bundesanstalt* 149(1): 61-109, 2 figs, 10 pls.
- Landau, B.M., M. Harzhauser, Y. Islamoglu & C. Marques da Silva, 2013. Systematics and palaeobiogeography of the gastropods of the middle Miocene (Serravallian) Karaman Basin, Turkey. *Cainozoic Research*, 11-13: 3-584, 31 figs, 25 tabs, 82 pls, 1 appendix.
- Landau, B.M., M. Harzhauser, Y. Islamoglu & C. Marques da Silva, 2014. Errata and corrigenda to Systematics and palaeobiogeography of the gastropods of the middle Miocene (Serravallian) Karaman Basin, Turkey. *Cainozoic Research*, 14(1): 91-92.
- Landau, B., G.J. Vermeij & S. Reich, 2014. Classification of the Modulidae (Caenogastropoda, Cerithioidea), with new genera and new fossil species from the Neogene of tropical America and Indonesia. *Basteria*, 78(1-3): 145 figs.
- Landau, B.M., & A. Jansen, 2015. Additions to the gastropod fauna of the Pliocene of Estepona, southwestern Spain, 3. The genus *Plesiothyreus* Cossmann, 1888 (Phenacolepadidae), with a note on its presence in the Middle Miocene of Winterwijk, Miste, The Netherlands. *Cainozoic Research*, 15(1-2): 123-126, 8 figs.
- Landau, B.M., F. Van Dingenen & L. Ceulemans, 2017. The upper Miocene gastropods of northwestern France, 1. Patellogastropoda and Vetigastropoda. *Cainozoic Research* 17(2): 75-166, 2 figs, 77 pls.
- Landau, B.M., L. Ceulemans & F. Van Dingenen, 2018. The upper Miocene gastropods of northwestern France, 2. Caenogastropoda. *Cainozoic Research* 18(2): 177-368, 4 figs, 169 pls, 12 tabs.
- Landau, B.M., D. Merle, L. Ceulemans & F. Van Dingenen, 2019. The upper Miocene gastropods of northwestern France, 3. Muricidae. *Cainozoic Research* 19(1): 3-44, 31 pls, 1 fig.
- Landau, B.M., L. Ceulemans & F. Van Dingenen, 2019. The upper Miocene gastropods of northwestern France, 4. Neogastropoda. *Cainozoic Research* 19(2): 135-215, 1 figs, 62 pls, 12 tabs.
- Landau, B.M., F. Van Dingenen & L. Ceulemans, 2020. The upper Miocene gastropods of northwestern France, 5. Conoidea. *Cainozoic Research* 20(1): 3-107, 2 figs, 83 pls, 1 tab.
- Landau, B.M., L. Ceulemans & F. Van Dingenen, 2020. The upper Miocene gastropods of northwestern France, 6. Heterobranchia. *Cainozoic Research* 20(2): 257-278, 23 pls, 1 fig.
- Landau, B.M., P. Micali, F. Van Dingenen & L. Ceulemans, 2020. The upper Miocene gastropods of northwestern France, 7. Pyramidelloidea. *Cainozoic Research* 20(2): 279-364, 76 pls, 1 fig.
- Lauridsen, B.W., & K.I. Schnetler, 2014. A catalogue of Danian gastropods from the Baunekule facies, Faxø Formation, Denmark. *Geological Survey of Denmark and Greenland Bulletin*, 32: 1-117, 3 tabs, figs i-viii, figs 1-194.
- Leloux, J., & F.P. Wesselingh, 2009. Types of Cenozoic Mollusca from Java in the Martin Collection of Naturalis. *NNM Technical Bulletin* 11: 1-765.
- Le Renard, J., & F.A.D. van Nieulande, 1981. Les Marginellidae (Gastropoda, Volutacea) de l'Éocène Moyen du Bassin de Nantes et du Cotentin (France). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 22(1): 3-69, 1 fig., 2 tabs, 7 pls.
- Linden, J. van der, & A.W. Janssen, 1996. *Philina aquila* sp. nov. from the Miocene of Winterswijk (Miste) (Gastropoda, Opisthobranchia). *Basteria*, 59: 97-104, 6 figs.

- Lozouet, P., 1984. Compléments à la malacofaune oligocène (Stampien) de Gaas (Bassin d'Aquitaine, France). 1. Mollusques saumâtres. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 22(3): 125-142, 2 figs, 4 pls.
- Lozouet, P. & Krygelmans, A., 2016. A new species of Indo-Pacific Modulidae (Mollusca: Caenogastropoda). *Zootaxa*, 4103(2): 195-200.
- Manganelli, G., L. Delle Cave & F. Giusti, 1989. Notulae malacologicae. XLII: Strobilopsidae (Gastropoda, Pulmonata), a family new to the Villafranchian land snail fauna of Apenninic Italy. *Basteria*, 53(1-3): 3-13, 2 figs.
- Manganelli, G., F. Giusti & L. Delle Cave, 1990. Notulae malacologicae. XLVIII, Lauriinae (Gastropoda, Pulmonata, Orculidae/Pupillidae) from the Villafranchian of peninsular Italy. *Basteria*, 54(1-3): 87-103, 38 figs.
- Mark, D. van der, 1968 Eine neue *Abra* aus dem Miocän von Berchem bei Antwerpen. *Basteria* 32(4-5): 83-88, 4 figs.
- Marquet, R., 1995. A revision of the Caenozoic Pinnidae from Belgium (Mollusca, Bivalvia). *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Sciences de la Terre*, 65: 241-256, 3 figs, 3 pls.
- Marquet, R., 1995. Pliocene gastropod faunas from Kallo (Oost-Vlaanderen, Belgium) – Part 1. Introduction and Archaeogastropoda. *Contributions to Tertiary and Quaternary Geology*, 32(1-3): 53-85, 2 figs, 2 tabs, 6 pls.
- Marquet, R., 1997. Two *Ataxiocerithium* species from the Miocene of Belgium (Gastropoda Prosobranchia: Cerithiopsidae). *Basteria*, 61(1-3): 27-31.
- Marquet, R., 1997. The Pliocene turrid Gastropods of Belgium. Part 1: Drilliidae, Turridae, Conidae (genus *Bela*). *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Sciences de la Terre*, 67: 119-151, 1 fig., 3 pls, 27 tabs.
- Marquet, R., 1998. The Pliocene turrid Gastropods of Belgium. Part 2: Conidae (genera *Asthenotoma*, *Comarmondia*, *Cytharella*, *Mangelia*, *Lusitanops*, *Raphitoma* and *Philbertia*). *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Sciences de la Terre*, 68: 263-287, 3 pls, 22 tabs.
- Marquet, R. & H.H. Dijkstra, 1999. Neogene species of Pseudamussium (Mollusca, Bivalvia, Pectinidae) from Belgium. *Contributions to Tertiary and Quaternary Geology*, 36(1-4): 45-47, 2 tabs, 2 pls.
- Marquet, R., & H.H. Dijkstra, 2000. Pliocene species of *Aequipecten* (Mollusca, Bivalvia, Pectinidae) from the North Sea Basin. *Contributions to Tertiary and Quaternary Geology*, 37(3-4): 39-55.
- Marquet, R., 2001. A study of some Neogene European species of Seilinae (Cerithiopsidae, Gastropoda). *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Sciences de la Terre*, 71: 195-208, 1 fig., 2 pls.
- Marquet, R., 2002. The Neogene Amphineura and Bivalvia (Protobranchia and Pteriomorpha) from Kallo and Doel (Oost-Vlaanderen, Belgium). *Palaeontos*, 2: 1-100, 16 text-figs, 3 tabs, 34 pls.
- Marquet, R., 2005. The Neogene Bivalvia (Heterodonta and Anomalodesmata) from Kallo and Doel (Oost-Vlaanderen, Belgium). *Palaeontos*, 6: 1-142, 7 text-figs, 6 tabs, 62 pls.
- Marquet, R., & B. Landau, 2006. The gastropod fauna of the Luchtbal Sand Member (Lillo Formation, Zanclean, Early Pliocene) of the Antwerp region (Belgium). *Cainozoic Research* 5(1-2): 13-49, 11 figs, 2 tabs.

- Marquet, R., J. Lenaerts, C. Karnekamp & R. Smith, 2008. The molluscan fauna of the Borgloon Formation in Belgium (Early Rupelian, Oligocene). *Palaeontos*, 12: 1-100, 14 text-figs, 5 tabs, 22 pls
- Marquet, R., J. Lenaerts & J. Laporte, 2012. A systematic study of the Bivalvia (Mollusca) from the Grimmeringen Sand Member and from the Klimmen Member (Early Oligocene) in Belgium and the Netherlands. *Palaeontos*, 22: 1-156, 7 text-figs, 4 tabs, 38 pls.
- Marquet, R., J. Lenaerts & J. Laporte, 2016. A systematic study of the Gastropoda (Mollusca) from the Grimmeringen Sand Member (Early Oligocene) in Belgium. *Palaeontos*, 29: 1-159, 1 text-fig., 4 tabs, 24 pls.
- Marquet, R., & J. Herman, 2012. Reinvestigation of the invertebrate fauna of the Boom Clay Formation and the Ruisbroek Sand Member (Oligocene, Rupelian) of Belgium, with the description of a new lithostratigraphic unit: the Sint Niklaas Phosphorite Bed. *Cainozoic Research* 9(1): 101-120.
- Martin, K., 1878. Die durch Junghuhn bekannt gewordene Tertiär-Fauna von Java. (letter to K.W.G. von Fritsch). *Zeitschrift der Deutschen Geologischen Gesellschaft*, 30(3): 539-540.
- Martin, K., 1879. Über die Fauna javanischer Tertiärschichten. *Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie*, vol. 1879: 557—559.
- Martin, K., 1879. Über das Tertiär von Java. *Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie*, vol. 1879: 850.
- Martinius, A.W., 1995. Macrofauna associations and formation of shell concentrations in the Early Eocene Roda Formation (southern Pyrenees, Spain). *Scripta Geologica*, 108:1-39, 5 figs., 5 pls.
- Meijer, T., 1988. Mollusca from the borehole Zuurland-2 at Brielle, The Netherlands (an interim report). *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 25(1): 49-60, 4 figs.
- Meijer, T., 1989. Notes on Quaternary freshwater Mollusca of The Netherlands, with descriptions of some new species. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 26(4): 145-181, 2 pls.
- Meijer, T., 1993. Stratigraphical notes on *Macoma* (Bivalvia) in the southern part of the North Sea Basin and some remarks on the arrival of Pacific species. In: Janssen, A.W., & R. Janssen: Proceedings Symposium 'Molluscan palaeontology' 11th International Malacological Congress, Siena, Italy, 30th August – 5th September 1992. *Scripta Geologica*, Special Issue 2: 297-312, 2 figs, 2 tabs.
- Meijer, T., & R.C. Preece, 1996. Malacological evidence relating to the stratigraphical position of the Cromerian. In: Turner, Ch. (ed.). The Early Middle Pleistocene in Europe. *Proceedings of the SEQS Cromer symposium Norwich/United Kingdom/3-7 September 1990*: 53-82, 1 fig, 11 tabs.
- Meijer, T., 2009. De geschiedenis van het molluskenonderzoek bij de Rijks Geologische Dienst. In: Cadée, G.C., S. van Leeuwen & J.J. ter Poorten (eds). Schitterende schelpen en slijmerige slakken. 75 jaar NMV: malacologie als hobby en professie. Nederlandse Malacologische Vereniging, Amsterdam. pp. 22-35, 9 figs.
- Meijer, T., R. Pouwer, P. Cleveringa, H. de Wolf, F.S. Busscher & F.P. Wesselingh, 2021. Fossil molluscs from borehole Hollum (Ameland, the Netherlands) constrain three successive Quaternary interglacial marine intervals in the southern North Sea Basin. *Netherlands Journal of Geosciences* 100, e13. <https://doi.org/10.1017/njg.2021.2>, 8 pp, 5 figs.
- Menkhorst, H.P.M.G., & F.P. Wesselingh, 2018. De fossiele slakken [*sic*] van de Nederlandse kust II, deel 12. Eulimacea, Cerithiopsacea, Triforacea. *Spirula*, 415: 38-51, 41 figs.

- Merle, D., B.M. Landau, & A.E. Breitenberger, 2021. New Muricidae (Mollusca, Gastropoda) from the Miocene of Java (Indonesia). *Basteria* 85(1): 21–33, 24 figs.
- Meulen, J. van der, 1951. *Glibertia prosperi* n. gen., n. sp. (Fam. Condylorcardiidae), from Pliocene Deposits. *Basteria*, 15(3-4): 49-53, pl. 1.
- Moerdijk, P.W., & F.A.D. van Nieulande, 1995. *Glycymeris (Glycymeris) radiolyrata* sp. nov. (Mollusca, Bivalvia, Glycymerididae) from the Pliocene of the North Sea Basin. *Contributions to Tertiary and Quaternary Geology*, 32(1-3): 3-17, 1 fig., 4 pls.
- Moerdijk, P.W., & F.A.D. van Nieulande, 2000. Revision of Pliocene Glycymerididae (Mollusca, Bivalvia) from the North Sea Basin. *Contributions to Tertiary and Quaternary Geology*, 37(1-2): 3-21, 6 pls.
- Moerdijk, P.W., 2003. *Mactromeris polynyma* (Stimpson, 1860) (Mollusca, Mactridae) from the Upper Pliocene of the Netherlands and Belgium. *Cainozoic Research*, 2(1-2): 135-137, 2 figs.
- Moerdijk, P.W., & J.J. ter Poorten, 2006. *Acanthocardia sliggersi* spec. nov. (Bivalvia, Cardiidae) from the Late Pliocene and Early Pleistocene of The Netherlands. *Basteria* 70: 89-96, 6 figs.
- Moerdijk, P.W., & G.F. Simons, 2010. *Globivenus barti* n. sp. (Bivalvia, Veneridae) from the Neogene of The Netherlands. *Cainozoic Research*, 7(1-2): 69-72, 3 figs.
- Moerdijk, P.W., A.W. Janssen, F.P. Wesselingh, G.A. Peeters, R. Pouwer, F.A.D. van Nieulande, A.C. Janse, L. van der Slik, T. Meijer, R. Rijken, G.C. Cadée, D. Hoeksema, G. Doeksen, A. Bastemeijer, H. Strack, M. Vervoenen & J.J. ter Poorten, 2010. *De fossiele schelpen van de Nederlandse kust*. Nederlands Centrum voor Biodiversiteit Naturalis, Leiden. 332 p.
- Moerdijk, P.W. & R. Pouwer, 2013. *Laevastarte quiespacis* nov. spec. (Mollusca, Bivalvia, Astartidae) from the Pliocene of The Netherlands. *Cainozoic Research*, 10(1-2): 9-13, 7 figs.
- Moerdijk, P.W., F. van Nieulande & R. Pouwer, 2018. De fossiele schelpen van de Nederlandse kust II, deel 13. Turritellidae en Vermetidae. *Spirula*, 416: 25-36, 30 figs.
- Moerdijk, P.W., & K. Post, 2021. Early Pleistocene bivalve *Mya arenaria* Linnaeus, 1758, from the 'Koren Bot' expedition in the Eastern Scheldt estuary: a dinner course of the walrus *Ontocetus emmonsii* Leidy, 1859? *Cainozoic Research* 21(2): 193-200, 8 figs.
- Moths, H., 2003. Eine *Melanopsis (Stilospirula) jansseni* von Miste. *Afzettingen WTKG*, 24(5):36.
- Neubauer, T.A., S. van de Velde, T. Yanina & F.P. Wesselingh, 2018. A late Pleistocene gastropod fauna from the northern Caspian Sea with implications for Pontocaspian gastropod taxonomy. *ZooKeys*, 770: 43–103, 17 figs, 1 tab. <https://doi.org/10.3897/zookeys.770.25365>
- Neubauer, T.A., O.Yu. Anistratenko, V.V. Anistratenko, P. Kijashko, M. Stoica, S. van de Velde, M. Vinarski & F.P. Wesselingh, 2020. A revision of the poorly known Pontocaspian gastropod genus *Abeskunus*, and its Central Paratethyan origin. *Historical Biology*: 18 pp, 13 figs, 1 tab <https://doi.org/10.1080/08912963.2020.1720015>
- Nieulande, F.A.D. van, 1981. Descriptions of Eocene Marginellidae (Mollusca, Gastropoda) from the Paris Basin. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 18(2): 39-83, 4 figs, 6 pls.
- Nieulande, F.A.D. van, & P.W. Moerdijk, 1999. Europese Glycymerididae. Overzicht van de vanaf het Oligoceen in Europa voorkomende soorten. *De Kreukel*, Extra editie 1999: 1-27, 28 pls.
- Nieulande, F.A.D. van, & P.W. Moerdijk, 2002. *Glycymeris radiolyrata pseudodeshayesi* nov. subsp. *In*: Marquet, R., 2002. The Neogene Amphineura and Bivalvia (Protobranchia and Pteriomorpha) from Kallo and Doel (Oost-Vlaanderen, Belgium). *Palaeontos*, 2: p. 30, pl. 13, fig 1.

- Nieulande, F.A.D. van, D.F. Hoeksema, H.W. Nijhuis & A.C. Rijken, 2022. De fossiele schelpen van de Nederlandse kust II, deel 17. Velutinidae, Triviidae, Eratoidae en Ovulidae. *Spirula* 431: 16-25, 38 figs.
- Nijland, R., 2017. Licht op de schelp. *Wageningen World* 1-2015: 22-23.
- Oostingh, C.H., 1934. Aanteekeningen over eenige bivalven uit het Neogeen van Java. *De ingenieur in Nederlandsch-Indië. IV. Mijnbouw en Geologie*: 19-23.
- Ouden, N. den, & R. Pouwer, 2018. Professional and amateur palaeontologists - the Dutch Polder Model. *The Geological Curator* 10 (10): 577-584, 5 figs.
- Pacaud, J.-M., & R. Pouwer, 2017. Rediscovery of the syntype series of *Astarte omalii* de la Jonkaire, 1823 and *Astarte basterotii* de la Jonkaire, 1823 (Mollusca, Bivalvia, Astartidae). *Cainozoic Research* 17(1): 63-69, 22 figs, 2 tabs.
- Paul, C.R.C., & Donovan, S.K., 2005. Quaternary and Recent land snails (Mollusca: Gastropoda) from Red Hills Road Cave, Jamaica. *Bulletin of the Mizunami Fossil Museum*, 32: 109-144.
- Pannekoek, A., 1936. *Beiträge zur Kenntnis der Altmiocänen Molluskenfauna von Rembang (Java)*. Thesis Universiteit van Amsterdam, I-XII + 1-80, 10 figs, 4 pls.
- Pérez, D.E., M. Ferrari & M.D. Ezcurra, 2022. Phylogenetic analysis of the gastropod genus *Calliotropis* Seguenza, 1902 (Vetigastropoda: Calliotropidae), including fossil and living species. *Journal of Systematic Palaeontology* 20(1), 2100288
<https://doi.org/10.1080/14772019.2022.2100288>
- Poorten, J.J. ter, 2013. Revision of the Recent species of the genus *Nemocardium* Meek, 1876 (Bivalvia, Cardiidae), with the descriptions of three new species. *Basteria*, 77(4-6): 45-73, 43 figs.
- Poorten, J.J. ter, & R. La Perna, 2017. The West African enigma: Systematics, evolution, and palaeobiogeography of cardiid bivalve *Procardium*. *Acta Palaeontologica Polonica*, 62 (4): 729–757, 16 figs, 2 tabs.
- Pouderoyen, L.P., 1956. A new fossil *Natica* from the Netherlands. *Basteria* 20(4-5): 78.
- Pouwer, R., 2010. The identity of *Isocrassina*, *Laevastarte* and *Ashtarotha* (Mollusca, Bivalvia, Astartidae) and their representatives from beaches and estuaries in The Netherlands and Pliocene strata in Belgium. *Cainozoic Research*, 7(1-2): 27-67, 49 figs.
- Pouwer, R. & F.P. Wesselingh, 2012. De fossiele schelpen van de Nederlandse kust II. (deel 3). Trochidae, Solariellidae & Calliostomatidae. *Spirula*, 389: 151-164, 43 figs.
- Pouwer, R., 2014. The types of *Gibbula nehalenniae* van Regteren Altena, 1954 (Mollusca, Gastropoda) re-investigated. *Cainozoic Research*, 14(2): 113-117, 5 figs, 1 tab.
- Pouwer, R., G. van der Velde & F. Wesselingh, 2021. In memoriam Arie W. Janssen, medeoprichter en spil van de WTKG, 19 juni 1937 – 6 augustus 2021. *Afzettingen WTKG* 42(3): 71-74.
- Pouwer, R., & R. Rijken, 2022. De fossiele schelpen van de Nederlandse kust II, deel 16. Naticidae. *Spirula* 430: 30-38, 35 figs.
- Preece, R.C., T. Meijer, K.E.H. Penkman, B. Demarchi, D.F. Mayhew & S.A. Parfitt, 2020. The palaeontology and dating of the 'Weybourne Crag', an important marker horizon in the Early Pleistocene of the southern North Sea basin. *Quaternary Science Reviews*, 236 (2020) 106177: 29 pp, 18 figs, 3 tabs.
- Raad, H., R. Rijken & R. Pouwer, 2016. De fossiele schelpen van de Nederlandse kust II, deel 11. Conoidea. *Spirula*, 409: 28-49, 54 figs.

- Raad, H.J., L.P.M.J. Wetsteijn & F.P. Wesselingh, 2021. De fossiele schelpen van de Nederlandse kust II, deel 15. Muricidae en Perissityidae. *Spirula* 429: 12-21, 30 figs.
- Rajendra, S. & C. Sivaperuman, 2021. Two New Records of Marine Gastropods and Notes on *Bufonaria elegans* from Andaman and Nicobar Islands, India. *National Academy Science Letters* <https://doi.org/10.1007/s40009-021-01049-8> (published online 7-5-2021)
- Ramos-Silva, P., D. Wall-Palmer, F. Marlétaz, F. Marin & K.T.C.A. Peijnenburg, 2021. Evolution and biomineralization of pteropod shells. *Journal of Structural Biology* 213: 107779 <https://doi.org/10.1016/j.jsb.2021.107779>
- Raven, H., 2002. Notes on molluscs from NW Borneo. 1. Stromboidea (Gastropods, Strombidae, Rostellariidae, Seraphidae). *Vita Malacologica* 15: 3 figs, 10 pls, 2 tabs.
- Raven, J.G.M., 2016. Notes on molluscs from NW Borneo. 3. A revision of *Taurasia* (Gastropoda, Muricidae) and *Preangeria* (Gastropoda, Buccinidae) with comments on *Semiricinula* from NW Borneo. *Vita Malacologica* 1: 3-32, 4 figs, 5 pls, 7 tabs.
- Raven, J.G.M., & P. Recourt, 2018. Notes on molluscs from NW Borneo. 4. Olivoidea (Gastropoda, Neogastropoda), with the description of eight new species. *Vita Malacologica* 17: 113-155, 9 figs, 8 pls, 3 tabs.
- Raven, J.G.M., 2021. Notes on molluscs from NW Borneo 7. Babyloniidae (Gastropoda, Neogastropoda). *Vita Malacologica* 20: 14-22, 3 figs, 2 pls, 2 tabs.
- Raven, J.G.M., 2021. Notes on molluscs from NW Borneo 8. Stromboidea (Gastropoda, Neogastropoda). Addendum, including the description of two new genera and seven new extinct species. *Vita Malacologica* 20: 23-50, 8 figs, 6 pls, 2 tabs.
- Raven, J.G.M., 2021. Notes on molluscs from NW Borneo 9. Harpidae (Neogastropoda), with the description of *Asiaharpa sarawakiana* gen. nov., spec. nov. *Vita Malacologica* 20: 51-60, 2 figs, 2 pls, 3 tabs.
- Regteren Altena, C.O. van, 1938. The Marine Mollusca of the Kendeng Beds (East Java). Gastropoda, Part I (Families Fissurellidae – Vermetidae inclusive). *Leidsche Geologische Mededeelingen*, X: 241-320, 31 figs, 2 tabs.
- Regteren Altena, C.O. van, 1942. The Marine Mollusca of the Kendeng Beds (East Java). Gastropoda, Part II (Families Planaxidae – Naticidae inclusive). *Leidsche Geologische Mededeelingen*, XII: 1-86, 24 figs.
- Regteren Altena, C.O. van, 1942. The Marine Mollusca of the Kendeng Beds (East Java). Gastropoda, Part IV (Families Cassidae – Ficidae inclusive). *Leidsche Geologische Mededeelingen*, XIII: 89-120, 5 figs.
- Regteren Altena, C.O. van, & C. Beets, 1945. Eine neogene Molluskenfauna vom Tji Gugur (Priangan), W. Java. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën*, Geologische Serie, XIV (Gedenkboek P. Tesch): 37-70, 1 pl.
- Regteren Altena, C.O. van, & C. Beets, 1945. Beschouwingen over de toekomst van het onderzoek der caenozoïsche Mollusken van Nederlandsch-Indië. *Geologie en Mijnbouw*, N.S., 7(5-6): 45-50.
- Regteren Altena, C.O. van, 1949. The genus *Antemetula* Rehder in the Indo-Westpacific area, with the description of two new species. *Bijdragen tot de Dierkunde*, 28: 385-393, 7 figs.
- Regteren Altena, C.O. van, 1950. The marine Mollusca of the Kendeng beds (East Java). Gastropoda Part V (Families Muricidae-Volemididae inclusive). *Leidsche Geologische Mededeelingen*, 15: 205-240, 24 figs.

- Regteren Altena, C.O. van, 1954. Description of four new species of Plio-Pleistocene Prosobranchia from the Netherlands, and proposal of a new name for a fifth species. *Basteria*, 18(4): 45-49.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1954. De fossiele schelpen van de Nederlandse stranden en zeegaten, 1. *Basteria*, 18(4): 54-64, pls 1-4.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1955. De fossiele schelpen van de Nederlandse stranden en zeegaten, 2. *Basteria*, 19(2-3): 27-34, pls 5-8.
- Regteren Altena, C.O. van, 1956. The genus *Phasianema* in the Pliocene of Western Europe. *Basteria*, 20(2-3): 62-64.
- Regteren Altena, C.O. van, 1956. *Pyrene scaldensis* nova species, a hitherto misunderstood species from the Plio-Pleistocene of Western Europe. *Basteria*, 20(4-5): 79-80.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1956. De fossiele schelpen van de Nederlandse stranden en zeegaten, 3. *Basteria*, 20(4-5): 82-90, pls 9-12.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1957. De fossiele schelpen van de Nederlandse stranden en zeegaten, 4. *Basteria*, 21(4-5): 67-73, pls 13-16.
- Regteren Altena, C.O. van, 1961. The Mollusca from the limestone of Brimstone Hill, St. Kitts, and Sugar Loaf and White Wall, St. Eustatius, Lesser Antilles. *Koninklijke Nederlandse Akademie van Wetenschappen, Proceedings Ser. B Physical Sciences* LXIV(2): 287-304, 2 figs, 1 pl.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1961. De fossiele schelpen van de Nederlandse stranden en zeegaten, 5. *Basteria*, 25(1): 3-6, pls 17-18.
- Regteren Altena, C.O. van, 1962. Molluscs and Echinoderms from the Palaeolithic deposits in the rock shelter of Ksar 'Akil, Lebanon. *Zoologische Mededelingen*, 38: 87-99.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1962. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 1. *Basteria* 26(1-2): 5-16.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1964. De fossiele schelpen van de Nederlandse stranden en zeegaten, 6. *Basteria*, 28(1-2): 1-9, pls 19-22.
- Regteren Altena, C.O. van, A. Bloklander & L.P. Pouderooyen, 1965. *De fossiele schelpen van de Nederlandse stranden en zeegaten, eerste serie*. Nederlandse Malacologische Vereniging, 1-55.
- Regteren Altena, C.O. van, A. Bloklander, L.P. Pouderooyen & L. van der Slik, 1966. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 2. *Basteria* 30(4): 54-59.
- Regteren Altena, C.O. van, A. Bloklander, L.P. Pouderooyen & L. van der Slik, 1969. De fossiele schelpen van de Nederlandse stranden en zeegaten, tweede serie, 3. *Basteria* 33(1-4): 11-29.
- Regteren Altena, C.O. van, 1969. Mollusca from boring "Alliance-28" in Surinam (Dutch Guiana). *Geologie en Mijnbouw*, 48: 177-179.
- Regteren Altena, C.O. van, 1969. The marine Mollusca of Suriname (Dutch Guiana) Holocene and Recent. Part I. General introduction. *Zoologische Verhandelingen*, 101: 1-49, 4 pls.
- Regteren Altena, C.O. van, 1971. The marine Mollusca of Suriname (Dutch Guiana) Holocene and Recent. Part II. Bivalvia and Scaphopoda. *Zoologische Verhandelingen*, 119: 1-100, 10 pls, 1 map.
- Regteren Altena, C.O. van, & E. Gittenberger, 1972. Some fossil species of *Babylonia* seen in ultraviolet light, with description of a new species (Mollusca, Gastropoda). *Zoologische Mededelingen* 47(38): 468-472, 3 pls.

- Regteren Altena, C.O. van, 1975. The marine Mollusca of Suriname (Dutch Guiana) Holocene and Recent. Part III. Gastropoda and Cephalopoda. *Zoologische Verhandelingen*, 139: 1-104, 11 pls.
- Regteren Altena, C.O. van, & E. Gittenberger, 1981. The genus *Babylonia* (Prosobranchia, Buccinidae). *Zoologische Verhandelingen*, 188: 1-57, 11 pls.
- Rehfeld, U., & A.W. Janssen, 1995. Development of Phosphatized Hardgrounds in the Miocene Globigerina Limestone of the Maltese Archipelago, Including a Description of *Gamopleura melitensis* sp. nov. (Gastropoda, Euthecosomata). *Facies*, 33: 91-106, 4 pls, 4 figs.
- Reich, S., F. Wesselingh & W. Renema, 2014. A highly diverse molluscan seagrass fauna from the early Burdigalian (early Miocene) of Banyunganti (south-central Java, Indonesia). *Annalen des Naturhistorischen Museums in Wien, Serie A* 116: 5-129, 2 figs, 20 pls.
- Reich, S., 2014. *Seagrass Mollusks as a Model Group for Paleocological and Paleodiversity Studies*. Thesis Universiteit Utrecht, 1-497.
- Reich, S., E. Di Martino, J.A. Todd, F.P. Wesselingh & W. Renema, 2015. Indirect paleo-seagrass indicators (IPSIs): A review. *Earth-Science Reviews*, 143: 161-186, 9 figs, 2 tabs.
- Reich, S., V. Warter, F.P. Wesselingh, J.C. Zwaan, L. Lourens & W. Renema, 2015. Paleocological significance of stable isotope ratios in Miocene tropical shallow marine environments (Indonesia). *Palaios*, 30: 53-65, 6 figs, 4 tabs.
- Riedel, F., 1995. An outline of cassoidean phylogeny (Mollusca, Gastropoda). *Contributions to Tertiary and Quaternary Geology*, 32(4): 97-132, 43 figs.
- Rijken, R. & R. Pouter, 2014. De fossiele schelpen van de Nederlandse kust II, deel 7. Nassariidae. *Spirula*, 397: 46 – 55, 37 figs.
- Robba, E., 1996. The Rembangian (Middle Miocene) mollusk-fauna of Java, Indonesia. I. Archaeogastropoda. *Rivista Italiana di Paleontologia e Stratigrafia*, 102(2): 267-292.
- Robba, E., 2013. Tertiary and Quaternary fossil pyramidelloidean gastropods of Indonesia. *Scripta Geologica*, 144: 1-191, 1 appendix, 1 table, 25 pls.
- Romani, L., S. Bartolini, P.G. Oliver & M. Taviani, 2021. “Draculamya” uraniae: A New Small-Sized Bivalve from the Mediterranean Sea (Galeommatida, Lasaeidae). *Taxonomy* 1: 142–151, 2 figs, 1 tab. <https://doi.org/10.3390/taxonomy1020011>
- Roosen, M., 2016. *Fossiele Mollusken. Welke aspecten van een fossiel ecosysteem zijn nog te bepalen met behulp van fossiele schelpen uit één boommonster uit Wouw?* Profielwerkstuk HAVO 5, Theresia Lyceum, Tilburg.
- Rutsch, [R.F.], 1932. 108. Koperberg, E.J. “Jungtertiäre und quartäre Mollusken von Timor”. *Palaeontologisches Zentralblatt* 2: 39-40. [book review with nomenclatural corrections]
- Salas-Gismondi, R., J.J. Flynn, P. Baby, J.V. Tejada-Lara, F.P. Wesselingh & P.-O. Antoine, 2015. A Miocene hyperdiverse crocodylian community reveals peculiar trophic dynamics in proto-Amazonian mega-wetlands. *Proc. R. Soc., B* 282: 20142490.
- Salvador, R.B., C. Locatelli & J. Lenaerts, 2022. Fossil Pupilloidea land snails from the Borgloon Formation (early Oligocene, Belgium). *Journal of Conchology*, 44(4): 387-395, 1 fig., 1 tab.
- Sanders M. T., D. Merle & N. Puillandre, 2019. A review of fossil Bursidae and their use for phylogeny calibration. *Geodiversitas* 41(5): 247-265, 8 figs, 1 appendix. <https://doi.org/10.5252/geodiversitas2019v41a5>. <http://geodiversitas.com/41/5>

- Sasaki, T., & T. Matsubara, 2010. Fossil collection of Philipp Franz von Siebold: General characteristics and remarks on molluscan specimens. *In*: Tagai, T., & T Sasaki (eds). Mineral and Fossil Collections of Philipp Franz von Siebold. The University Museum, the University of Tokyo, Bulletin 45: 213-247, 16 figs.
- Schepman, M. M., 1887. Bijdrage tot de kennis der Mollusken-fauna van de schelprieten van Suriname, naar de door den heer Voltz gemaakte verzameling bewerkt. *Sammlungen des Geologischen Reichs-Museums in Leiden*, 2(1): 150-168.
- Schepman, M.M., 1907. Mollusken aus Posttertiären Schichten von Celebes. *Sammlungen des Geologischen Reichs-Museums in Leiden*, 1(8): 153-203, pls. X-XIII.
- Schilder, F.A. 1933. Neue fossile Cypraeacea (Moll. Gastr.). *Sitzungsberichte der Gesellschaft naturforschenden Freunde zu Berlin*, 1932: 254-269, 10 figs.
- Schilder, F.A., 1937. Neogene Cypraeacea aus Ost-Java (Mollusca Gastropoda). *De ingenieur in Nederlandsch-Indië. IV. Mijnbouw en Geologie. "De Mijningenieur"*, 4: 195-210.
- Schilder, F.A., 1942. The Marine Mollusca of the Kendeng Beds (East Java). Gastropoda, Part III (Families Eratoidae, Cypraeidae, and Amphiperatidae). *Leidsche Geologische Mededeelingen*, XII: 171-194, 1 fig.
- Schnetler, K. I., & C. Beyer, 1987. A Late Oligocene (Chattian B) molluscs fauna from the clay-pit of Galten Brickworks at Nørre Vissing, Jylland, Denmark. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 24(3): 193-224.
- Schnetler, K. I., & C. Beyer, 1990. A Late Oligocene (Chattian B) molluscan fauna from the coastal cliff at Mogenstrup, North of Skive, Jutland, Denmark. *Contributions to Tertiary and Quaternary Geology*, 27(2-3): 39-81, 7 figs, 4 tabs, 3 pls.
- Schnetler, K.I., 2005. The Mollusca from the stratotype of the Gram Formation (Late Miocene, Denmark). *In*: F. Roth & K. Hoedemakers (eds). The marine Gram Formation at Gram, Denmark: late Miocene geology and palaeontology. *Palaeontos*, 7: 62-189, 6 figs, 11 pls.
- Schnetler, K.I., 2013 *Eoatlanta ravni* nov. sp. (Mollusca: Gastropoda, ?Hipponicidae) from the Danian (early Paleocene) of Faxe, Denmark. *Cainozoic Research*, 10(1-2): 3-7.
- Signorelli, J.H. & J.G.M. Raven, 2018. Current knowledge of the family Cardiliidae (Bivalvia, Mactroidea). *Journal of Paleontology* 92(2): 130-145, 7 figs, 3 tabs. Spink, G., 1968. *Astarte omalii peelensis* n. ssp., *Architectonica neerlandica* n. sp. and *Chrysallida andersoni* n. sp. from the Miocene of The Netherlands and Western Germany. *Basteria*, 32(1-3): 8-12, 1 pl.
- Sinnema-Bloemen, J.W., 1977. Erratische tertiaire mollusken uit het fluviatiele Kwartair van Nederland. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 14(4): 11-102, 2 tabs, 3 pls
- Sliggers, B.C., & R.J.W. van Leeuwen, 1987. Mollusc biozonation of the Miocene in the south-eastern Netherlands and correlation with the foraminiferal biostratigraphy. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie* 24(1-2): 41-57, 1 tab., 4 figs.
- Slupik, A.A., F.P. Wesselingh, D.F. Mayhew, A.C. Janse, F.E. Dieleman, M. van Strydonck, P. Kiden, A.W. Burger & J.W.F. Reumer, 2013. The role of a proto-Schelde River in the genesis of the southwestern Netherlands, inferred from the Quaternary successions and fossils in Moriaanshoofd Borehole (Zeeland, the Netherlands). *Netherlands Journal of Geosciences – Geologie en Mijnbouw*, 92(1): 69-86, 4 figs, 4 tabs.
- Spink, G., 1978. Het Eoceen in de lokaal moraine van Losser. *Staringia* 4: 8-39, 19 pls.
- Spiegler, D. & K. Gürs, 1996. Der miozäne Glimmerton von Groß Pampau, Schleswig-Holstein (Mollusken, Foraminiferen und Bolboformen). *Meyniana*, 48: 135-164, 1 fig., 6 tabs., 6 pls.

- Spijkerman, E., F.A.D. van Nieulande, F.P. Wesselingh, S. Reich & S. Tracey, 2015. Pourcy (Paris Basin, France): preliminary assessment of an early Eocene NW European tropical coastal environment from molluscs and vertebrate fossils. *Cainozoic Research*, 15(1-2): 155-180, 110 figs, 2 tabs, 2 appendices.
- Strong, E.E., & Ph. Bouchet, 2013. Cryptic yet colorful: anatomy and relationships of a new genus of Cerithiidae (Caenogastropoda, Cerithioidea) from coral reef drop-offs. *Invertebrate Biology*, 132(4): 326-351.
- Tesch, P., 1915. Jungtertiäre und quartäre Mollusken von Timor, I Teil. *In: Paläontologie von Timor*, V(IX): 1-70, 10 pls (LXXIII-LXXXII)
- Tesch, P., 1920. Jungtertiäre und quartäre Mollusken von Timor, II Teil. *In: Paläontologie von Timor*, VII(XIV): 41-121, 10 pls (CXXIX-CXL)
- Toula, F., 1901. Eine marine Neogenfauna aus Cilicien. *Jahrbuch der Kaiserlich-Königlichen Geologischen Reichsanstalt*, 51: 247-264, pl.VIII.
- Tröndlé, J. & J. Letourneux, 2011. Description de *Terebra niauensis* n. sp. (Mollusca: Gastropoda: Terebridae) du Pléistocène de Niau, Tuamotu (Polynésie Française). *Novapex*, 12(3-4): 87-90, 9 figs.
- Urk, R.M. van, 1980. Fossil and recent Lutraria (Mollusca, Bivalvia) in Europe, with descriptions of four new species. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie* 17(4): 235-266, 2 figs, 1 tab, 2 pls.
- Valentine, A., A.L. Johnson, M.J. Leng, H.J. Sloane, & P.S. Balson, 2011. Isotopic evidence of cool winter conditions in the mid-Piacenzian (Pliocene) of the southern North Sea Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 309(1): 9-16, 6 figs, 2 tabs.
- Valentine, A.M., 2014. *An investigation into the seasonality of the Pliocene southern North Sea basin: a sclerochronological approach*. Thesis, University of Derby: 1-299, 89 figs, 48 tabs.
- Van Dingenen, F., L. Ceulemans & B.M. Landau, 2014. *Euroscaphella* nov. gen. (Gastropoda: Volutidae) in the Neogene of Europe, with description of a new species: *Euroscaphella namnetensis* nov. sp. from the Mio-Pliocenen transition of northwestern France. *Cainozoic Research*, 14(2): 101-111, 4 figs, 1 pl.
- Van Dingenen, F., L. Ceulemans, B.M. Landau & C. Marques da Silva, 2015. The family Nassariidae (Gastropoda: Buccinoidea) from the late Neogene of northwestern France. *Cainozoic Research*, 15(1-2): 75-122, 3 figs, 9 pls.
- Velde, S. van de, E.L. Jorissen, T.A. Neubauer, S. Radan, A.B. Pavel, M. Stoica, C.G.C. Van Baak, A. Martínez Gándara, L. Popa, H. de Stigter, H.A. Abels, W. Krijgsman & F.P. Wesselingh, 2019. A conservation palaeobiological approach to assess faunal response of threatened biota under natural and anthropogenic environmental change. *Biogeosciences* 16: 2423–2442, 8 figs, 2 tabs. <https://doi.org/10.5194/bg-16-2423-2019>
- Velde, S. van de, T.A. Yanina, T.A. Neubauer & F.P. Wesselingh, 2020. The Late Pleistocene mollusk fauna of Selitrennoye (Astrakhan province, Russia): A natural baseline for endemic Caspian Sea faunas. *Journal of Great Lakes Research* 46: 1227-1239, 9 figs, 2 tabs. <http://doi.org/10.1016/j.jglr.2019.04.001> (published online 2019)
- Velde, S. van de, F.P. Wesselingh, T.A. Yanina, V.V. Anistratenko, T.A. Neubauer, J.J. ter Poorten, H.B. Vonhof, S.B. Kroonenberg, 2019. Mollusc biodiversity in late Holocene nearshore environments of the Caspian Sea: A baseline for the current biodiversity crisis. *Palaeogeography, Palaeoclimatology, Palaeoecology* 535 (2019) 109364: 15 pp, 9 figs, 5 tabs.

- Velde, S. van der, 2020. Mollusc species response to drivers in space and time. Rise and demise of the unique Pontocaspian fauna. Thesis Universiteit Utrecht. *Utrecht studies in Earth Sciences* 207: 1-356
- Vermeij, G. J., 1993. *Spinucella*, a new genus of Miocene to Pleistocene muricid gastropods from the eastern Atlantic. *Contributions to Tertiary and Quaternary Geology*, 30(1-2): 19-27, 1 tab., 1 pl.
- Vermeij, G.J., 1991. Generic identity and relationships of the Northeastern Pacific Buccinid gastropod *Searlsia dira* (Reeve, 1846). *The Veliger*, 34(3): 264-271.
- Vermeij, G.J., & H. Raven, 2009. Southeast Asia as the birthplace of unusual traits: the Melongenidae (Gastropoda) of northwest Borneo. *Contributions to Zoology*, 78(3): 113-127.
- Vermeij, G.J., & H. Raven, 2011. Erratum: Southeast Asia as the birthplace of unusual traits: the Melongenidae (Gastropoda) of northwest Borneo. *Contributions to Zoology*, 80(3): 212.
- Vermeij, G.J., & F.P. Wesselingh, 2002. Neogastropod molluscs from the Miocene of Western Amazonia, with comments on marine to freshwater transitions in molluscs. *Journal of Paleontology*, 76(2): 265-270, 4 figs.
- Vervoenen, M., 1995. Taphonomy of some Cenozoic seabeds from the Flemisch Region, Belgium. *Belgische Geologische Dienst, Professional paper*, 1994/5 - N.272: I-VII, 1-115.
- Vervoenen, M., F.P. Wesselingh & F.A.D. van Nieulande, 2000. *Mytilus antiquorum* J. Sowerby, 1821 and other Pliocene mussels (Mollusca, Bivalvia) from the southern North Sea Basin. *Contributions to Tertiary and Quaternary Geology*, 37(3-4): 73-81.
- Vervoenen, M., & F.A.D. van Nieulande, 2010. *Claibornicardia aalterensis* n. sp., a new carditid species from the Eocene of the Southern North Sea Basin. *Cainozoic Research*, 7(1-2): 79-81.
- Vervoenen, M., & F.A.D. van Nieulande, 2010. *Pleuromeris moerdijki* n. sp., a new Eocene carditid bivalve from the southern North Sea Basin. *Cainozoic Research*, 7(1-2): 119-121, figs 1-193.
- Vervoenen, M., F. van Nieulande, K. Fraussen, F.P. Wesselingh & R. Pouwer, 2014. Pliocene to Quaternary sinistral *Neptunea* species (Mollusca, Gastropoda, Buccinidae) from the NE Atlantic. *Cainozoic Research*, 14(1): 17-34, 28 figs.
- Vervoenen, M., F. van Nieulande, K. Fraussen, F.P. Wesselingh & R. Pouwer, 2014. Corrigendum to: Pliocene to Quaternary sinistral *Neptunea* species (Mollusca, Gastropoda, Buccinidae) from the NE Atlantic of Vervoenen et al. (2014). *Cainozoic Research*, 14(2): 139, 1 fig.
- Voort, J. van der, 2021. (with contributions from F. Wesselingh, R. Pouwer and K. Peijnenburg). In Memoriam: Arie W. Janssen. *The Malacologist* 77: 47-51.
- Voort, J. van der, J.W.M. Jagt, K.T.C.A. Peijnenburg, R. Pouwer, J.G.M. Raven & F.P. Wesselingh, 2021. In memoriam: Adrianus Willem (Arie W.) Janssen (1937–2021). *Cainozoic Research* 21(2): 113-146, 14 figs, appendix 1-3.
- Voorhuysen, J.H. van, 1944. Miozäne Gastropoden aus dem Peelgebiet (Niederlande) (Rissoidae-Muricidae, nach Zittel's Einteilung 1924). *Mededeelingen van de Geologische Stichting, Serie C-IV-1-5*: 1-116, 13 pls.
- Voskuil, R.P.A., 2017. *Olividae and Olivellidae (Gastropoda: Neogastropoda). A chronologic catalogue of literature, taxa and type figures, 1681 to present*. Version 2, February 24, 2017. pp. 1-158. Published by the author.
- Wall-Palmer, D., P. Micali & F. Giusti, 2021. The cause of transverse patterns on atlantid shells. *Bollettino Malacologico* 57: 76-81, 1 fig., 1 tab.

- Walliser, E.O., G. Lohmann, I. Niezgodzki & B.R. Schöne, 2017. Inter-annual climate variability in Europe during the Oligocene icehouse. *Palaeogeography, Palaeoclimatology, Palaeoecology* 475: 140-153.
- Warter, V., W. Müller, F.P. Wesselingh, J.A. Todd & W. Renema, 2015. Late Miocene seasonal to subdecadal climate variability in the Indo-West pacific (East Kalimantan, Indonesia) preserved in giant clams. *Palaios*, 30: 66-82, 10 figs, 3 tabs.
- Weinbrecht, F., 1994. A new late miocene species of the genus *Toledonia* (Gastropoda, Diaphanidae) from northern Germany. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 31(1): 3-7, 2 figs, 1 pl.
- Wesselingh, F.P., G.C. Cadée & W. Renema, 1999. Flying high: on the airborne dispersal of aquatic organisms as illustrated by the distribution histories of the gastropod genera *Tryonia* and *Planorbarius*. *Geologie & Mijnbouw*, 78: 165-174, 4 figs.
- Wesselingh, F.P., 1996. Geological-Paleontological Research in the Tertiary and Quaternary of Central America III. New Pliocene fresh water gastropods from Guatemala. *Documenta Naturae*, 100: 23-36, 1 pl.
- Wesselingh, F., & A.W. Janssen, 2000. Schelpen uit het verleden. De onderafdeling 'Kenozoïsche Mollusca' van het NNM. *Grondboor & Hamer*, 54(2/3): 37-38, 4 figs.
- Wesselingh, F.P., M. Vervoenen & F.A.D. van Nieulande, 2002. On the identity of *Mytilus edulis* forma giganteus Wood, 1874 (Pliocene, North Sea Basin), with implications for the generic assignment of other European Cainozoic mytilid bivalves. *Cainozoic Research*, 1(1-2): 121-127, 3 figs.
- Wesselingh, F.P., 2003. Neritidae (Mollusca, Gastropoda) from the Miocene of western Amazonia (Peru, Colombia and Brazil). *Cainozoic Research*, 2: 117-128, 21 figs.
- Wesselingh, F.P. 2006. Miocene long-lived lake Pebas as a stage of mollusc radiations, with implications for landscape evolution in western Amazonia. *Scripta Geologica*, 133: 1-17, 1 fig.
- Wesselingh, F.P. 2006. Molluscs from the Miocene Pebas Formation of Peruvian and Colombian Amazonia. *Scripta Geologica*, 133: 19-290, 363 figs, 1 tab.
- Wesselingh, F.P., M.C. Hoorn, J. Guerrero, M.E. Räsänen, L. Romero Pittmann & J. Salo, 2006. The stratigraphy and regional structure of Miocene deposits in western Amazonia (Peru, Colombia and Brazil), with implications for Late Neogene landscape evolution. *Scripta Geologica*, 133: 291-322, 8 figs, 2 appendixes.
- Wesselingh, F.P., J. Guerrero, M.E. Räsänen, L. Romero Pitmann & H.B. Vonhof, 2006. Landscape evolution and depositional processes in the Miocene Pebas lake/wetland system: evidence from exploratory boreholes in northeastern Peru. *Scripta Geologica*, 133: 323-361, 11 figs, 10 tabs, 1 appendix.
- Wesselingh, F.P., R.J.G. Kaandorp, H.B. Vonhof, M.E. Räsänen & W. Renema, 2006. The nature of aquatic landscapes in the Miocene of western Amazonia: an integrated palaeontological and geochemical approach. *Scripta Geologica*, 133: 363-393, 10 figs, 5 tabs, 2 appendixes.
- Wesselingh, F.P. 2006. Evolutionary ecology of the Pachydontinae (Bivalvia, Corbulidae) in the Pebas lake/wetland system (Miocene, western Amazonia). *Scripta Geologica*, 133: 395-417, 10 figs, 1 tab.
- Wesselingh, F.P., A. Ranzi & M.E. Räsänen, 2006. Miocene freshwater Mollusca from western Brazilian Amazonia. *Scripta Geologica*, 133: 419-437, 33 figs.
- Wesselingh, F.P. & J. Salo, 2006. A Miocene perspective on the evolution of Amazonian biota. *Scripta Geologica*, 133: 439-458, 5 figs, 1 tab.

- Wesselingh, F.P., & O. Macsotay, 2006. *Pachydon hettneri* (Anderson, 1928) as indicator for Caribbean-Amazonian lowland connections during the Early-Middle Miocene. *Journal of South American Earth Sciences*, 21: 49-53, 7 figs.
- Wesselingh, F.P., 2007. Long-Lived lake Molluscs as Island Faunas: A Bivalve Perspective. In: W. Renema (ed.). *Biogeography, Time, and Place: Distributions, Barriers, and Islands*. Springer. pp. 275-314, 32 figs.
- Wesselingh, F.P., H. Alçiçek & I. Magyar, 2008. A Late Miocene Paratethyan mollusc fauna from the Denizli Basin (southwestern Anatolia, Turkey) and its regional palaeobiogeographic implications. *Geobios*, 41: 861–879.
- Wesselingh, F.P. & H. Alçiçek, 2010. A new Cardiid Bivalve from the pliocene Baklan basin (Turkey) and the origin of modern Ponto-Caspian taxa. *Palaeontology*, 53(4): 711-719.
- Wesselingh, F.P., & R. Pouwer, 2011. De fossiele schelpen van de Nederlandse kust II. Patellogastropoda en Vetigastropoda (deel 1). *Spirula*, 383: 129 - 142
- Wesselingh, F.P., R. Rijken, F. van Nieulande, A.C. Janse & R. Pouwer, 2012. De fossiele schelpen van de Nederlandse kust II. De *Cerithium*-achtigen (deel 2). *Spirula*, 385: 37 – 47
- Wesselingh, F.P., A.C. Janse, M. Vervoenen & F.A.D. van Nieulande, 2013. New records of giant campaniid gastropods (Mollusca) from the southern North Sea Basin: implications for Eocene and Quaternary palaeogeography. *Netherlands Journal of Geosciences*, 92(2/3): 159-164, 3 figs.
- Wesselingh, F.P., W.J.M. Peters & D.K. Munsterman, 2013. A brachiopod-dominated sea-floor assemblage from the Late Pliocene of the eastern Netherlands. *Netherlands Journal of Geosciences*, 92(2/3): 171-176, 3 figs, 2 tabs.
- Wesselingh, F.P., R. Rijken & F. van Nieulande, 2013. De fossiele schelpen van de Nederlandse kust II, deel 5. Epitoniidae. *Spirula*, 395: 170 – 177
- Wesselingh, F.P., F. van Nieulande, K. Fraussen, P.W. Moerdijk, A.W. Janssen, R. Pouwer & R. Rijken, 2014. De fossiele schelpen van de Nederlandse kust II, deel 8. Buccinoidea. *Spirula*, 401, 194-205, 40 figs.
- Wesselingh, F.P., F.S. Busschers & S. Goolaerts, 2020. Observations on the Pliocene sediments exposed at Antwerp International Airport (northern Belgium) constrain the stratigraphic position of the Broechem fauna. *Geologica Belgica*, 23 (3-4) - The Neogene stratigraphy of northern Belgium: xxx-xxx. URL : <https://doi.org/10.20341/gb.2020.026>
- Wesselingh, F., R. Pouwer & K. Peijnenburg, 2021. In Memoriam Arie Janssen 1937-2022. *Notiziario SIM* 39(2): 2-3
- Wienrich, G., 2001. *Die Fauna des marinen Miozäns von Kevelaer (Niederrhein). Band 3 Gastropoda bis Cancellariidae*. Backhuys Publishers BV, Leiden: 386-639, figs 33-36, pls 63-107.
- Wienrich, G., 2009. *Die Fauna des marinen Miozäns von Kevelaer (Niederrhein). Band 4 Gastropoda ab Mitridae; Turridae* Janssen & Wienrich. Backhuys Publishers BV, Leiden: 640-954, figs 37-38, pls 108-173.
- Wienrich, G., 2006. The Genus *Strioterebrum* Sacco, 1891 in the Hemmoorian and Reinbekian (Middle Miocene) of the North Sea Basin. *Cainozoic Research*, 5(2): 3-12, 4 figs, 1 tab.
- Winkler Prins, C.F., 1996. Dr C. Beets (1916-1995) and the 'Rijksmuseum van Geologie en Mineralogie'. *Scripta Geologica*, 113: 1-21, 6 figs.
- Winkler Prins, C.F., 2004. Geological collections of the Nationaal Natuurhistorisch Museum (Leiden, The Netherlands): cultural heritage of the geosciences and mining. In: Winkler Prins, C.F. & Donovan, S.K. (eds.), VII International Symposium 'Cultural Heritage in Geosciences, Mining and

Metallurgy: Libraries - Archives - Museums': "Museums and their collections", Leiden (The Netherlands), 19-23 May 2003. *Scripta Geologica Special Issue*, 4: 293-307, 11 figs.

Wissema, G.G., 1947. *Young Tertiary and Quaternary Gastropoda from the island of Nias (Malay Archipelago)*. Thesis Rijksuniversiteit Leiden. L.H. Becherer, Leiden: 1-212, 7 tabs, 6 pls, 1 map.

Zammit Maempel, G., 1993. *Kuphus melitensis*, a new teredinid bivalve from the late Oligocene Lower Coralline Limestone of Malta. *Contributions to Tertiary and Quaternary Geology*, 30(3-4):, 155-175, 7 figs, 1 tab., 3 pls.

Zorn, I., & A.W. Janssen, 1993. *Vaginella tricuspidata* sp. nov., a new holoplanktonic mollusc from the Late Oligocene of SW France and Hungary. *Contributions to Tertiary and Quaternary Geology*, 29(3-4): 61-71, 4 pls.