

Erebidae

Erebinae

Achaea janata (Linnaeus, 1758)



Imago

Taxonomy:

Phalaena janata Linnaeus, 1758; 527.–
.

Phalaena melicerta Drury, [1773]:46.,
– India (Bombay).

Noctua tigrina Fabricius, 1775.

Noctua cyathina Macleay, 1826 .

Catocala traversii Fereday, 1877.

Ophiusa ekeikei Bethune-Baker, 1906.

melicertoides Strand, 1914: 74.

melicertella Strand, 1914: 74.


Achaea melicertoides Gaede, 1938.

Achaea melicertella Gaede, 1938.

Hostplant:

Flight period: viii.

Altitude: 460 m.



Distribution map

Erebidae

Erebinae

Achaea serva (Fabricius, 1775)



Taxonomy:

Noctua serva Fabricius, 1775.

Achaea fasciculipes Walker, 1858.

fuscossuffusa Strand, 1914: 73.

Achaea fuscossuffusa Gaede, 1938.


Hostplant:

Flight period: ix.

Altitude: 2900 m.

Imago

Achaea serva (Fabricius, 1775)



Distribution map

Erebidae

Erebinae

Agonista hypoleuca Guenee, 1852

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Arcte polygrapha Kollar, 1844



Taxonomy:

Arcte polygrapha Kollar, 1844± ./ India (Himalaya)


Hostplant

Flight period: v, viii.

Altitude: 460-1975 m.

Imago

Arcte polygrapha Kollar, 1844



Distribution map

Erebidae

Erebinae

Artena dotata (Fabricius, 1794)



Imago


Taxonomy:

Noctua dotata Fabricius, 1794: 55.– E.
India.

Hostplant:

Flight period: v-vi.

Altitude: 1580-2020 m.



Distribution map

Erebidae

Erebinae

Blepharidia griseirufa Hampson, 1894

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Capnodes caustiplaga Hampson, 1895

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Capnodes pustulifera Walker, 1864

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Catocala nupta (Linnaeus, 1767)



Taxonomy:

Phalaena nupta Linnaeus, 1767: 841.–
Germany.


Catocala unicuba Walker,
[1858]:1210.– India.

Hostplant: *Populus*, *P. nigra*, *Salix*, *S.*
fragilis

Flight period: ix.

Altitude: 2900 m.

Imago



Distribution map

Erebidae

Erebinae

Chrysopera combinans (Walker, 1858)



Taxonomy:

Achaea combinans Walker, 1858:
1399.- Ceylon.

Achaea quadrilunata Pagenstecher,
1890: 109.-


Hostplant

Flight period: viii.

Altitude: 875 m.

Imago

Chrysopera combinans (Walker, 1858)



Distribution map

Erebidae

Erebinae

Dysgonia algira (Linnaeus, 1767)



Imago

Taxonomy:

Phalaena algira Linnaeus, 1767: 836.-
Algeria.

Phalaena achatina Sulzer, 1776: 160.-
"Near Mobengo".

Noctua triangularis Hübner, [1803]:
plate 66.-

Ophiusa albivitta Guenée, 1852: 271.-
Central India.

Ophiusa festina Walker, 1858: 1425.-
"Congo".

Ophiusa olympia Swinhoe, 1885: 466.
– India (Poona).

Grammodes algira var. *europa* Schaw-
erda, 1912: 142.- Herzegowina, Dalmatia


Grammodes algira f. *defecta* Stauder,
1923: 44.- Istria, Yugoslavia

Parallelia algira sinica Bryk, 1949:
122.– China (Chekiang).

Hostplant: *Rubus fruticosus*, *Salix*,
Genista, *Lythrum*, *Punica*, *Ricinus*,
Parietaria.

Flight period: v.

Altitude: 1975m.



Distribution map

Erebidae

Erebinae

Dysgonia arcuata (Moore, 1877)



Taxonomy:


Ophiusa arcuate Moore, 1877: 609.-

Hostplant:

Flight period: v.

Altitude: 900 m. .

Imago



Erebidae

Erebinae

Dysgonia maturescens (Walker, 1858)




Taxonomy:

Dysgonia maturescens (Walker, 1858) **Hostplant:**

Flight period: v.

Altitude: 2040 m. .

Imago



Distribution map

Erebidae

Erebinae

Ercheia cyllaria (Cramer, 1782)



Taxonomy:

Noctua cyllaria Cramer, 1782: 100.– .


Hostplant:

Flight period: v.

Altitude: 900 m.

Imago

Ercheia cyllaria (Cramer, 1779)



Distribution map

Erebidae

Erebinae

Erebus caprimulgus (Fabricius, 1781)



Taxonomy:


Noctua caprimulgus Fabricius, 1781

Hostplant:

Flight period: v, viii.

Altitude: 875-1750 m.

Imago



Distribution map

Erebidae

Erebinae

Erebus hieroglyphica (Drury, 1773)



Taxonomy:

Noctua hieroglyphica Drury, 1773:
plate 2.– .


Argiva celebensis Hopffer, 1874: 46.–
Indonesia (Celebes).

Hostplant:

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Erebidae

Erebinae

Erebus macrops (Linnaeus, 1768)



Taxonomy:

Noctua macrops Linnaeus, 1768: .- .


Hostplant:

Flight period: v.

Altitude: 900 m.

Imago

Erebus macrops (Linnaeus, 1768)



Distribution map

Erebidae

Erebinae

Fodina stola Guenee, 1852

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Hamodes pendleburyi Prout, 1932



Taxonomy:

Hamodes pendleburui Prout, 1932: 4.–


Hostplant:

Flight period: v.

Altitude: 1750 m.

Imago

Hamodes pendleburyi Prout, 1932



Distribution map

Erebidae

Erebinae

Hamodes propitia (Guérin-Ménéville, 1831)



Imago

Taxonomy:

Noctua propitia Guérin-Ménéville, [1831].

Ophiusa propitia Boisduval, 1832: 244.- Nouvelle-Irlande [Bismarck Archipelago.]

Hamodoes aurantiaca Guenée, 1852

Ophisma attaccicola Walker, 1858


Hypernaria discistriga Moore, 1857

Hamodes marginata Moore, 1882

Hostplant:

Flight period: v.

Altitude: 2040 m.



Distribution map

Erebidae

Erebinae

Heterospila nigripalpis (Walker, 1869)



Taxonomy:


Zinna nigripalpis Walker, 1869: 906.–
India (nr. Benares).

Hostplant:

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Erebidae

Erebinae

Ischyja manlia (Cramer, 1776)



Taxonomy:

Phalaena manlia Cramer, [1776]: 144, pl. 92,.- Coromandel Coast.

Noctua squalida Fabricius, 1787.


Potamophora amboinensis C. Felder, 1862.- Indonesia.

Hostplant

Flight period: ix.

Altitude: 2900 m.

Imago



Distribution map

Erebidae

Erebinae

Mocis frugalis (Fabricius, 1775)

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Nyctipao gemmans Guénée, 1852

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Erebidae

Erebinae

Ommatophora luminosa (Stoll 1780)



Taxonomy:


Phalaena luminosa Stoll, 1780: 147.—.

Hostplant

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Erebidae

Erebinae

Ophiusa coronata (Fabricius, 1775)



Imago

Taxonomy:

Noctua coronata Fabricius, 1775

Noctua leonina Fabricius, 1775

Noctua ancilla Fabricius, 1794


Corycia magica Hübner, [1831]

Ophiodes ponderosa Mabille, 1879

Hostplant:

Flight period: v-vi, viii.

Altitude: 875-1580 m.



Distribution map

Erebidae

Erebinae

Ophiusa tirhica (Cramer, 1777)



Imago

Taxonomy:

Phalaena tirhaca Cramer, [1777]:
116.– Rep. S. Africa.

Noctua vesta Esper, 1789: 141.

Noctua auricularis Hübner, [1803]:
plate 66.– Europe.

Ophiodes hottentota Guenée, 1852:
229.– Rep./ S. Africa.


Ophiodes separans Walker, 1858:
1357.– India.

Hostplant: *Pistacia lentiscus*, *P. terebinthus*, *Cistus spp.*, *Rhus cotinus*, *R. coriaria*, *Daphne*, *Erica*, *Viburnum*, *Osyris*, *Combretum*, *Eucalyptus* .

Flight period: vi.

Altitude: 1580 m.

Ophiusa tirhica (Cramer, 1777)



Distribution map

Erebidae

Erebinae

Oxyodes scrobiculata (Fabricius, 1775)



Taxonomy:

Noctua scrobiculata Fabricius, 1775: 592.-

Phalaena clytia Stoll, 1782

Noctua vittata Fabricius, 1794

Oxyodes ochreatea Rothschild, 1915

Oxyodes samoana Tams, 1935

Oxyodes tanymekes Tams, 1935

Oxyodes novaehebridensis Viette, 1951


Oxyodes obscurior Holloway, 1979

Hostplant:

Flight period: v, viii-ix.

Altitude: 900-2900 m.

Imago



Distribution map

Erebidae

Erebinae

Rectipalpula billeti de Joannis, 1900



Taxonomy:


Rectupalpula billeti de Joannis, 1900:
280.– .

Hostplant

Flight period: vi.

Altitude 2020 m.

Imago



Distribution map

Erebidae

Erebinae

Serrodes campana Guenée, 1852



Taxonomy:

Serrodes campana Guenée, 1852

Serrodes nigha Guenée, 1852


Serrodes callipepla Prout, 1929

Hostplant

Flight period: vi.

Altitude 1580 m.

Imago



Distribution map

Erebidae

Erebinae

Spirama indenta (Hampson, 1891)



Taxonomy:

Spiramia indenta Hampson, 1891: . – .


Hostplant:

Flight period: v.

Altitude: 900-1750 m.



Imago



Distribution map

Erebidae

Erebinae

Spirama retorta (Clerck, 1764)



Imago

Taxonomy:

Phalaena retorta Clerck, 1764:plate 54.— .

Noctua spiralis Fabricius, 1775

Erebus chimista Kollar, 1844

Spirama isabella Guenée, 1852

Spirama suffumosa Guenée, 1852

Spiramia cohaerens Walker, 1858

Hypopyra martha Butler, 1878

Spirama simplicior Butler, 1881


Spirama inaequalis Butler, 1883

Spirama jinchuena Butler, 1883

Hostplant:

Flight period: v.

Altitude: 900-1550 m.



Distribution map

Erebidae

Erebinae

Thyas juno (Dalman, 1823)



Taxonomy:

Noctua juno Dalman, 1823: 52.– .


Ophideres elegans van der Hoeven,
1840 : 280.– .

Hostplant:

Flight period: vi.

Altitude: 1580 m.

Imago



Distribution map