

Erebidae

Aganainae

Asota caricae (Fabricius, 1775)



Taxonomy:


Noctua caricae Fabricius, 1775: 596.–
India.

Hostplant

Flight period: v-vi, viii.

Altitude: 210-2890 m.

Imago



Distribution map

Erebidae

Aganainae

Asota ficus (Fabricius, 1775)



Taxonomy:


Noctua ficus Fabricius, 1775: 595.–
India.

Hostplant:

Flight period: vi.

Altitude: 1580 m.

Imago



Distribution map

Erebidae

Aganainae

Asota plana (Walker, 1854)



Imago

Taxonomy:

Asota plana Walker, 1854: 450.- India.


Hypsa persecta Butler, 1875: 317.- India.

Asota donatana Swinhoe, 1903: 504.- India.

Hostplant:

Flight period: v-vi.

Altitude: 900-1580 m.



Distribution map

Erebidae

Aganainae

Asota tortuosa (Moore, 1872)



Imago


Taxonomy:

Neochera tortuosa Moore, 1872: 570.-

Hostplant:

Flight period: v-vi.

Altitude: 1530-1975 m.



Distribution map

Erebidae

Aganainae

Mecodina ferrugineiceps Hampson, 1896

Taxonomy:

Mecodina ferrugineiceps Hampson,
1896: 536.- India.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Female genitalia

Distribution map

© Cornelis (Cees) GIELIS, 2018