

Eupterotidae

Eupterotinae

Eupterote gardneri Bryk, 1950



Imago

Taxonomy:


Eupterote geminate gardneri
Bryk, 1950: 58.– India (UP).

Eupterote bifasciata Kishida,
1994.–

Hostplant

Flight period: v.

Altitude: 340-2040 m.



Distribution map

Eupterotidae

Eupterotinae

Eupterote geminata (Walker, 1855),



Taxonomy:

Dreata geminata Walker, 1855:
807.– N.India.

Dreata lineata Walker, 1855:
807.– N.India.


Brachytera phalaenaria Felder,
1874: plate 95, fig 1.– Ceylon.

Hostplant:

Flight period: v, viii.

Altitude: 1765-2090 m.

Imago



Distribution map

Eupterotidae

Eupterotinae

Eupterote undata Blanchard, 1853



Taxonomy:


Eupterote undata Blanchard,
[1844]: 23.— .

Hostplant

Flight period: v.

Altitude: 495 m.

Imago



Distribution map

Eupterotidae

Eupterotinae

Mallarctus glaucescens (Walker, 1855)



Taxonomy:


Tagora glaucescens Walker, 1855:
1188.— Himalaya.

Hostplant

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Eupterotidae

Eupterotinae

Palirisa cervina Moore, 1865



Taxonomy:


Palirisa cervina Moore,
1865:807.-

Hostplant

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Eupterotidae

Eupterotinae

Pseudojana incandescens (Walker, 1855)



Taxonomy:


Jana incandescens Walker, 1855: 910.
– India (Sikkim).

Hostplant

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Eupterotidae

Eupterotinae

Sphingognatha patula (Walker, 1855)



Taxonomy:

Tagora patula Walker, 1855: 1189.


— .

Hostplant:

Flight period: v-vi.

Altitude: 340-1580 m.

Imago



Distribution map