

Limacodidae

Belippe horrida Walker, 1865



Imago

Taxonomy


Belippa horrida Walker, 1865.— S. China.

Cheromettia formosaensis Kawada, 1930.—
Horisya, Taiwan.

Hostplant

Flight period: v-vi.

Altitude: 1750-2020 m.



Distribution map

Limacodidae

Birhamiodes junctura (Walker, 1865)



Taxonomy:

Hyblaea junctura Walker, 1865.— Cambodia.


Hostplant::

Flight period: v, viii.

Altitude: 875-900 m.

Imago

Birhamiodes junctura (Walker, 1865)



Distribution map

Limacodidae

Chalcoscelides castaneipars (Moore, 1865)



Taxonomy


Miresa castaneipars Moore, 1865.— India (Darjeeling).

Hostplant

Flight period: v-vi.

Altitude: 910-2020 m.

Imago



Distribution map

Limacodidae

Nephelimorpha argentilinea (Hampson, 1892)



Imago


Taxonomy

Parasa argentilinea Hampson, 1892.–
Margarita, Assam, India.

Hostplant

Flight period: vi.

Altitude: 575 m.



Distribution map

Limacodidae

Parasa himalepida Holloway, 1987



Taxonomy

Parasa himalepida Holloway, 1987.—
Htawgaw, Upper Burma, 1830 m.


Hostplant

Flight period: vi.

Altitude: 2020 m.

Remarks. Niet volledig zekere determinatie.

Imago



Distribution map

Limacodidae

Parasa pastoralis Butler, 1885



Taxonomy


Parasa pastoralis Butler, 1885.– Bhutan.

Hostplant

Flight period

Altitude

Imago



Distribution map

Limacodidae

Scopelodes venosa Walker, 1855



Taxonomy:

Scopelodes venosa Walker, 1855.—
Bangladesh (Silhet).

Scopelodes aurogrisea Moore, 128.—
Ceylon.

Scopelodes ursina Butler, 1886.—
Bangladesh (Silhet).


Hostplant

Flight period: v-vi.

Altitude: 340-575 m.

Imago

Scopelodes venosa Walker, 1855



Distribution map

Limacodidae

Scopelodes vulpina Moore, 1879



Imago

Taxonomy


Scopelodes vulpina Moore, 1879.–
India (Darjeeling).

Scopelodes tantula Swinhoe, 1904.–
India (Khasia Hills).

Hostplant :

Flight period: v.

Altitude: 1750 m.



Distribution map

Limacodidae

Setora postornata (Hampson, 1900)



Imago

Taxonomy

Setora sinensis Moore, 1877.— Shanghai, China.


Thosea postornata Hampson, 1900

Thosea postornata ab. *Hampsoni* Strand, 1916.— Sikkim, India.

Hostplant

Flight period: vi.

Altitude: 1530 m.



Distribution map

Limacodidae

Squamosa ocellata (Moore, 1879)



Taxonomy


Monema ocellata Moore, 1879.– India (Darjeeling).

Hostplant

Flight period: v-vi.

Altitude: 340-1530 m.

Imago



Distribution map

Limacodidae

Susica himalayana (Holloway, 1982)



Taxonomy:


Susica himalayana Holloway, 1982.— India (Sikkim).

Hostplant::

Flight period : viii.

Altitude: 875 m.

Imago



Distribution map