

Notodontidae

Ceirinae

Besaia dochula Schitlmeister, 2004

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Ceirinae

Besaia tamurensis Nakamura, 1974



Taxonomy:


Besaia tamurensis Nakamura, 1974:
125.– Nepal.

Hostplant

Flight period: ix.

Altitude: 22900 m.

Imago



Distribution map

Notodontidae

Ceirinae

Honveda fasciata (Moore, 1879)



Imago

Taxonomy:


Pydna fasciata Moore, 1879: 66.– India (Darjeeling).

Hostplant

Flight period: v.

Altitude: 340-2040 m.

Honveda fasciata (Moore, 1879)



Distribution map

Notodontidae

Ceirinae

Hyperaeschra pallida Butler, 1880



Taxonomy:

Hyperaeschra pallida Butler, 1880: 65.
– India (Darjeeling).


Phalera ochropis Hampson, 1910: 90.
– Ceylon.

Hostplant

Flight period: v-vi.

Altitude: 340-1550 m.

Imago



Distribution map

Notodontidae

Ceirinae

Mimopydna sikkima (Moore, 1879)



Taxonomy:


Niganda sikkima Moore, 1879: 64.—
India (Darjeeling).

Hostplant

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Notodontidae

Ceirinae

Niganda argentifascia (Hampson, 1895)

Taxonomy:

Eutornopera argentifascia Hampson,
1895: 280.– Bhutan.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Ceirinae

Niganda cyttarosticta (Hampson, 1895)

Taxonomy:

Stenadonta cyttarosticta Hampson,
1895: 281.– Bhutan.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Cerurinae

Kamalia harutai (Sugi, 1992)



Taxonomy:


Cerura harutai Sugi, 1992: 95.– Nepal.

Hostplant

Flight period: v.

Altitude: 340-1975 m.

Imago



Distribution map

Notodontidae

Cerurinae

Neocerura liturata (Walker, 1855)



Taxonomy:

Cerura liturata Walker, 1855: 988.—
Bangladesh (Sylet) & India (madras).

Dicranura argentea Felder, 1874:
plate 96, fig. 6.— .

Cerura damodara Moore, 1866: 812.—
India (NE Bengal).

Cerura arikana Matsumura, 1927: 7.—
Formosa.


Cerura liturata baibarana Matsumu-
ra, 1927: 7.— Formosa.

Hostplant

Flight period: v.

Altitude: 340-1975 m.

Imago



Distribution map

Notodontidae

Cerurinae

Neocerura thomasi




Taxonomy:

Hostplant

Flight period: v.

Altitude: 910 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Acmeshachia albifascia (Moore, 1879)



Taxonomy:


Pheosia albifascia Moore, 1879: 69.–
India (Darjeeling).

Hostplant

Flight period: v-vi.

Altitude: 1750-2020 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Acmeshachia gigantea (Elwes, 1890)



Taxonomy:

Notodonta gigantea Elwes, 1890: 399.

– India (Khasi Hills).

Acmeshachia takamukui Matsumura,


1929: - Formosa.

Hostplant

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Notodontidae Phalerinae

Antiphalera bilineata Hampson, 1896

Taxonomy:

Phalera bilineata Hampson, 1896:
455.– India (Khasi Hills).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Dicranurinae

Fentonia baibarana Matsumura, 1929



Taxonomy:


Fentonia baibarana Matsumura, 1929:
41.– Formosa.

Hostplant: Fagaceae, *Quercus* spec.,
Castanopsis spec.

Flight period: v.

Altitude: 1555 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Fentonia excurvata (Hampson, 1893)



Imago


Taxonomy:

Pheosia excurvata Hampson, 1893:
161.– India (Sikkim).

Hostplant:

Flight period: v.

Altitude: 1765-1975 m.



Distribution map

Notodontidae

Dicranurinae

Fentonia viridinota Hampson, 1896

Taxonomy:

Pseudohoplitis viridinota Hampson,
1896: 459.– India.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Dicranurinae

Formofentonia orbifer (Hampson, 1893)



Taxonomy:

Stauropus orbifer Hampson, 1893:
152.– India (Sikkim).


Formofentonia rotundata Matsumura,
1925: 396.– Formosa.

Hostplant: *Elaeocarpus sylvestris*.

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Harpyia longipennis (Walker, 1855)

Taxonomy:

Damata longipennis Walker, 1855:
1044.– Himalayas

Hostplant: *Quercus variabilis*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Dicranurinae

Neopheosia fasciata (Moore, 1888)



Taxonomy±


Pheosia fasciata Moore, 1888: 401.–
India (Dharmasala).

Hostplant: *Quercus* spec., *Pracantha*
koidzumii, *Prunus phaeosticta*.

Flight period: v.

Altitude: 1750-2040 m.

Imago



Distribution map

Notodontidae Dicranurinae

Netria multispinae Schintlmeister, 2006



Taxonomy:


Netria multispinae Schintlmeister, 2006: 81.– North Vietnam.

Hostplant

Flight period: v.

Altitude: 1580 m.

Imago



Distribution map



Taxonomy:

Netria viridescens Walker, 1855: 1504.
– Indonesia (Java).

Netria viridescens continentalis
Schintlmeister, 2006: 67.– India
(Sikkim).


Netria viridescens suffusca
Schintlmeister, 2006: 69.– China
(Yunnan).

Hostplant

Flight period: vi.

Altitude: 1530 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Oxoia smaragdiplena (Walker, 1862)



Taxonomy:


Exaereta smaragdiplena Walker, 1862:
134.– Sarawak.

Hostplant

Flight period: v.

Altitude: 1555 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Rachia striata Hampson, 1893



Taxonomy:

Rachia striata Hampson, 1893: 132.–
India (Sikkim).

Notodonta nodyna Swinhoe, 1907:
206.– India (Khasia Hills).l


Angustiala cryptocephala Bryk, 1949:
4.– Burma.

Hostplant

Flight period: v-vi.

Altitude: 1580-2020 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Stauroplitis accomodus Schintlmeister &
Fang, 2001



Taxonomy:


Stauroplitis accomodus Schintlmeister & Fang, 2001: 57.– India (Assam).

Hostplant:

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Stauropus camilla Schindlmeister, 1997



Taxonomy:


Stauropus camilla Schindlmeister, 1997: 98.– N. Vietnam.

Hostplant:

Flight period: vi.

Altitude: 2020 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Stauropus sikkimensis Moore, 1866



Taxonomy:

Stauropus sikkimensis Moore, 1866:
811.— India (Darjeeling).


Stauropus lushanus Okano, 1960: 13.—
Formosa.

Hostplant: *Elaeocarpus serratus*.

Flight period: vi.

Altitude: 2925 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Stauropus virescens Moore, 1879



Taxonomy:


Stauropus virescens Moore, 1879: 404.
– India (Darjeeling).

Hostplant:

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Syntypistis comatus (Leech, 1898)



Taxonomy:


Stauropus comatus Leech, 1898: 306.—
China.

Hostplant: *Quercus* spec., *Castanopsis formosana*.

Flight period: v, viii-ix.

Altitude: 900-2900 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Syntytistis perdix (Moore, 1879)



Imago

Taxonomy:

Dasychira perdix Moore, 1879: 58.–
India (Darjeeling).

Stauropus confuse Wileman, 1910:
289.– Formosa.

Cnethodonta horishana Matsumura,
1920: 140.– Formosa.


Quadricalcarifera kikuchii Matsumura,
1927: 12.– Formosa.

Hostplant:

Flight period: v.

Altitude: 1750 m.

Syntipistis perdix (Moore, 1879)



Distribution map

Notodontidae

Dicranurinae

Teleclita centristicta (Hampson, 1898)

Taxonomy:

Pheosia centristicta Hampson, 1898:
282.– India (Sikkim).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Dudusinae

Dudusa nobilis Walker, 1865



Taxonomy:


Dudusa nobilis Walker, 1865: 447.– N. China.

Hostplant: *Acer*.

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Notodontidae

Dudusinae

Dudusa sphingiformis Moore, 1872



Taxonomy:


Dudusa sphingiformis Moore, 1872:
577.- India (Sikkim).

Hostplant: *Acer*.

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Notodontidae

Dudusinae

Euhamponia niveiceps (Walker, 1865)



Taxonomy:


Trabala niveiceps Walker, 1865:
554.— India (N. Hindustan).

Hostplant:

Flight period: v.

Altitude: 1750-2040 m.

Imago



Distribution map

Notodontidae

Dudusinae

Gangarides roseus (Walker, 1865)

Taxonomy:

Apona rosea Walker, 1865: 513.– India (Hindustan).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Taxonomy:
Poncetia bhutanica Banziger, 1988:
27.– Bhutan.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Dudusinae

Tarsolepis malayana Nakamura, 1976



Imago


Taxonomy:

Tarsolepis malayana Nakamura, 1976:
35.– West Malaysia.

Hostplant: Unknown.

Flight period: v.

Altitude: 340-1750 m.



Distribution map