

Notodontidae Heterocampinae *Harpyia microsticta* Hampson, 1892

Taxonomy:

Harpyia microsticta Hampson, 1892:
157.– India (Naga Hills).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Notodontinae

Disparia obliquiplaga Moore, 1879



Taxonomy:

Heterocampa obliquiplaga Moore, 1879:
61.– India (Assam, Sikkim).

Hostplant:


Flight period: v.

Altitude: 900-1750 m.

Imago foto 525



Disparia obliquiplaga (Moore, 1879)



Notodontidae

Notodontinae

Hupodonta pulcherrima (Moore, 1866)



Taxonomy:


Pheosia pulcherrima Moore, 1866:
814.– India (Sikkim).

Hostplant

Flight period: vi.

Altitude: 1530 m.

Imago



Distribution map

Notodontidae

Notodontinae

Lophocosma nigrilinea (Leech, 1899)



Taxonomy:

Stauropus nigrilinea Leech, 1899: 216.
– China.(Hunan).


Lophocosma curvatum Gaede, 1933:
177.– China (Sichuan).

Hostplant *Carpinus kawakamii*. *Cas-*
tanopsis formosana.

Flight period: v-vi, viii.

Altitude: 875-1580 m.

Imago



Distribution map

Notodontidae

Notodontinae

Neodrymonia apicalis Br(Moore, 1879)



Taxonomy:


Ramesa apicalis Moore, 1879: 68.—
India (Darjeeling).

Hostplant

Flight period: v-vi.

Altitude: 1750-2020 m.

Imago



Distribution map

Notodontidae

Notodontinae

Neodrymonia basalis (Moore, 1879)



Taxonomy:

Heterocampa basalis Moore, 1879:
80.– India (Darjeeling).

Hostplant:


Flight period: v.

Altitude: 1750 m.

Imago foto 426



Neodrymonia basalis (Moore, 1879)



Notodontidae Notodontinae

Notodonta dedmazai Schintlmeister, 2013

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae Notodontinae *Perida moorei* (Hampson, 1893)



Imago


Taxonomy±

Notodonta sikkima, replacement name
Hampson, 1893:163.- India
(Darjeeling).

Hostplant

Flight period: v.

Altitude: 1975-2040 m.



Distribution map

Notodontidae Notodontinae

Pseudofentonia argentifera (Moore, 1866)

Taxonomy:

Heterocampa argentifera Hampson,
1866: 813.- India (Darjeeling).

Pseudofentonia kezukai Nakamura,
1973: 57.— Taiwan.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Notodontinae

Rachiades lichenicolor (Oberthuer, 1911)



Taxonomy:

Semidonta lichenicolor Oberthuer, 1911: 336.– China (Thibet).

Peridea albimaculata Okano, 1958: 53.– Formosa.


Rachiodes siamensis Sugi, 1993: 150.– Thailand.

Hostplant: *Quercus* spec., *Castanopsis* spec.

Flight period: v.

Altitude: 1555-1975 m.

Imago



Distribution map

Notodontidae Phalerinae

Phalera cossoides Walker, 1863



Taxonomy:


Phalera cossoides Walker, 1863: 80.–
Bangladesh (Silhet).

Hostplant

Flight period: v.

Altitude: 340 m.

Imago



Distribution map

Notodontidae Phalerinae

Phalera goniophora Hampson, 1910



Imago


Taxonomy:

Phalera goniophora Hampson, 1910:
90.— India (Assam).

Hostplant

Flight period: v-vi.

Altitude: 1975—2020 m.



Distribution map

Notodontidae Phalerinae

Phalera grotei Moore, 1860



Taxonomy:

Phalera grotei Moore, 1860: 434.–
India (Calcutta).

Phalera sangana birmicola Bryk,
1949: 7.– Burma.

Phalera cihuai Yang & Lee, 1978:
487.– China (Beijing).


Phalera birmicola obfuscata Nakamu-
ra, 1978: 221.– Korea.

Hostplant: *Robinia*, *Erythrina*, *Waga-
tea*, *Derris*, *Cassia*.

Flight period: v, viii.

Altitude: 340—875 m.

Imago



Distribution map

Notodontidae Phalerinae

Phalera raya Moore, 1860




Taxonomy:

Phalera raya Moore, 1860: 433.– India (Darjeeling).


Hostplant: *Wagatea*, *Derris*, *Cassia*

Flight period: v.

Altitude: 340-1555 m.



Distribution map



gent CG 7360

Notodontidae Phalerinae

Phalera sangana Moore, 1859



Imago

Taxonomy:


Phalera sangana Moore, 1860: 433.–
India (Darjeeling).

Phalera stigmigera Butler, 1880: 66.–
Bhutan.

Phalera arenosa Butler, 1880: 66.–
India (Sikkim).

Hostplant

Flight period: v, viii.



Distribution map

Notodontidae Ptilodontinae

Allodonta collaris (Swinhoe, 1901)



Taxonomy:


Notodonta collaris Swinhoe, 1901:
132.– India (Assam).

Hostplant:

Flight period: vi, viii.

Altitude: 1580-2700 m.

Imago



Distribution map

Notodontidae Ptilodontinae *Ptilodon saturata* (Walker, 1865)



Taxonomy:


Lophopteryx saturata Walker, 1865:
415.– India (Darjeeling).

Hostplant: *Acer spec.*

Flight period: vi, ix.

Altitude: 2900 m.

Imago



Distribution map

Notodontidae

Ptilodontinae

Hiradonta nr himalayana Sugi, 1992



Taxonomy:

Hostplant:


Flight period: v.

Altitude:

Imago



Gent CG 7342



Notodontidae Pygaerinae

Allata laticostalis (Hampson, 1900)



Imago


Taxonomy:

Spatalia laticostalis Hampson, 1900:
43.— India (Kasia Hills).

Hostplant: Unknown.

Flight period: vi.

Altitude: 2020 m.



Distribution map

Notodontidae Pygaerinae

Allata sikkima (Moore, 1879)



Taxonomy:


Allata sikkima Moore, 1879: 63.– India (Darjeeling).

Hostplant

Flight period: v.

Altitude: 910 m.

Imago



Distribution map

Notodontidae Pygaerinae

Clostera anachoreta (D&S, 1775)



Taxonomy:


Phalaena anachoreta Denis & Schiff-
ermüller, 1775: .- Austria.

Hostplant: *Salicaceae*, *Salix pentan-*
dra, *S. fragilis*, *S. caprea*, *S. aurita*, *S.*
myrsinifolia, *Populus tremula*, *P. bal-*
samifera, *P. suaveolens*

Flight period: viii.

Altitude: 2700-2910 m.

Imago



Distribution map

Notodontidae Pygaerinae

Clostera fulgurita (Walker, 1865)



Imago


Taxonomy:

Ichtyura fulgurita (Walker, 1865: 433.
– India (Hindustan).

Hostplant: *Salix* spec., *Populus* spec.,
Xylosma spec., *Eleodendron* spec.

Flight period: v.

Altitude: 1555-1750 m.



Distribution map

Notodontidae Pygaerinae

Clostera pallida (Walker, 1855)



Taxonomy:


Nerice pallida Walker, 1855: 1077.–
Nepal.

Hostplant

Flight period: v.

Altitude: 1765 m.

Imago



Distribution map

Notodontidae Pygaerinae

Metaschalis disrupta (Moore, 1879)

Taxonomy:

Celeia disrupta Moore, 1879: 62.—
India (Darjeeling).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae Pygaerinae

Micromelalopha haemorrhoidalis Kiriakoff,
1963

Taxonomy:

Micromelalopha haemorrhoidalis Kiriakoff, 1963: 250.– China (Shaanxi).

Micromelalopha cinereibasis Kiriakoff, 1963: 248.– China (N. Yunnan).

Micromelalopha ralla Wu & Fang, 2003: 255.– China (Yunnan).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Notodontidae

Scranciinae

Baradesa omissa Rothschild, 1917



Taxonomy:


Baradesa omissa Rothschild, 1917:
258.– India (Khasia Hills).

Hostplant

Flight period: v.

Altitude: 340-900 m.

Imago



Distribution map

Notodontidae

Dicranurinae

Gargetta costigera Walker, 1865



Taxonomy:

Gargetta costigera Walker, 1865: 455.


– India (Darjeeling).

Hostplant: *Briedelia* spec.

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Notodontidae Thaumetopoeinae

Gazalina chrysolopha (Kollar, 1844)



Imago

Taxonomy:

Liparis chrysolopha Kollar, 1844: 470.
- India (Kashmir).


Dasychira antica Walker, 1855: 876).
- India.

Oligoclona chordigera Felder, 1874:
plate 94, fig. 10.-

Hostplant

Flight period: v, viii.

Altitude:



Distribution map

Notodontidae Thaumetopoeinae

Gazalina transversa (Moore, 1879)



Taxonomy:


Dasychira transversa Moore, 1879: 47.
– India (Sikkim).

Hostplant

Flight period: v-vi.

Altitude: 1530-2040 m.

Imago



Distribution map