

Saturniidae

Saturniinae

Antheraea frithi Moore, 1859



Taxonomy:


Antheraea frithi Moore, 1858: 396.–
India (Sikkim) , Bhutan.

Hostplant

Flight period: v.

Altitude: 1555 m.

Imago



Distribution map

Saturniidae

Saturniinae

Archaeoattacus edwardsii White, 1859



Taxonomy:


Attacus edwardsii White, 1859: 115.–
India (Darjeeling).

Hostplant: *Machilus*, *Prunus*, *Ailanthus*

Flight period: v, viii.

Altitude: 875/ 1750 m.

Imago



Distribution map

Saturniidae

Saturniinae

Attacus atlas (Linnaeus, 1758)



Taxonomy:


Phalaena atlas Linnaeus, 1758: 495.-
N. India.

Hostplant

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Saturniidae

Saturniinae

Cricula trifenestrata Helfer, 1837



Taxonomy:


Saturnia trifenestrata Helfer, 1837: 45.
– India (Bengal).

Hostplant

Flight period: v.

Altitude: 340-2020 m.

Imago



Distribution map

Saturniidae

Saturniinae

Loepa miranda Moore, 1865



Imago

Taxonomy:


Loepa miranda Moore, 1865: 424.–
India (Darjeeling).

Hostplant

Flight period: viii.

Altitude: 2275-2910 m.

Loepa miranda Atkinson in Moore, 1865



Distribution map

Saturniidae

Saturniinae

Loepa sikkima (Moore, 1865)



Taxonomy:

Antheraea sikkima Moore, [1866]: 818.


– India (Sikkim).

Hostplant

Flight period: v.

Altitude: 900-1750 m.

Imago



Distribution map

Saturniidae

Saturniinae

Samia canningi (Hutton, 1859)



Imago


Taxonomy:

Philosamia canningi Hutton, 1859: 10.
– India (NW Himalaya).

Hostplant

Flight period: v.

Altitude: 1555-1975 m.



Distribution map

Saturniidae

Saturniinae *Saturnia anna* Moore, 1865



Taxonomy:


Saturnia anna Moore, 1865: 818.– S. China, N. India, Sikkim.

Hostplant

Flight period: v.

Altitude: 1975 m.

Imago



Distribution map