

Sphingidae

Macroglossinae

Acosmeryx anceus subdentata Rothschild & Jordan, 1903



Imago


Taxonomy:

Acosmeryx anceus subdentata Rothschild & Jordan, 1903: 528.- India (Sikkim).

Hostplant: *Leea*, *Cayratia*, *Cissus*, *Vitis*

Flight period: v.

Altitude: 340-900 m.



Distribution map

Sphingidae

Macroglossinae *Acosmeryx montivaga* Kernbach, 1966

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Acosmeryx naga (Moore, 1857)



Taxonomy:


Philampelus naga Moore, [1858]: 271.
– India (West Bengal, Darjeeling).

Hostplant *Stathmopoda auriferella*,
Ampelopsis brevipedunculata, *Vitis*
vinifera

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Acosmeryx omissa* Rothschild & Jordan,
1903

Taxonomy:

Acosmeryx omissa Rothschild & Jordan, 1903: 530.– N. India.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Acosmeryx pseudonaga* Butler, 1881



Imago


Taxonomy:

Acosmeryx pseudonaga Butler, 1881:
2.- Bhutan.

Hostplant

Flight period: v.

Altitude: 340-900 m.



Distribution map

Sphingidae

Macroglossinae

Acosmeryx sericeus (Walker, 1856)



Taxonomy:


Philampelus sericeus Walker, 1856:
181.– Bangladesh (Silhet).

Hostplant: *Actinidia*, *Vitis*

Flight period: v

Altitude: 340-2040 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Acosmeryx shervillii Boisduval, 1875



Imago


Taxonomy:

Acosmeryx shervillii Boisduval, [1875]: 217.– India (West Bengal, Darjeeling).

Hostplant: *Dillenia*, *Vitis*, *Cayratia*, *Cissus*, *Leea*

Flight period: v

Altitude: 910 m.



Distribution map

Sphingidae

Macroglossinae *Acosmeryx socrates* Boisduval, 1875

Taxonomy:

Acosmeryx Socrates Boisduval, 1875:
219.– India (Khasi Hills); Ceylon.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Ampelophaga khasiana* Rothschild, 1895



Taxonomy:


Ampelophaga khasiana Rothschild, 1895: 482.– India (Assam, Khasi Hills).

Hostplant: *Vitis*, *Saurauia nepalensis*

Flight period: v.

Altitude: 900-2040 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Ampelophaga rubiginosa Bremer & Grey,
1852

Taxonomy:

Ampelophaga rubiginosa Bremer &
Grey, 1853: 61.— N. China.

Hostplant: *Saurauia*

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae Macroglossinae *Ampelophaga thomasi* Cadiou & Kitching, 1998

Taxonomy:

Ampelophaga thomasi Cadiou & Kitching, 1998: 353.– India (West Bengal, Darjeeling).

Hostplant:

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Cechenena bryki* Ivshin & Krutov, 2018




Taxonomy: *Cechetra bryki* Ivshin & Krutov, 2018: 1-25.— Nepal.

Hostplant

Flight period: v.

Altitude: 910—1975 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Cechetra lineosa* (Walker, 1856)

Taxonomy:

Chaerocampa [sic] *lineosa* Walker,
1856: 144.– Bangladesh (Silhet).

Hostplant: *Saurauia tristyla*, *Impati-*
ens, *Vitis*, *Polygonum*

Flight period:

Altitude:

Imago

Distribution map

Sphingidae

Macroglossinae *Cechenena minor* (Butler, 1875)

Taxonomy:

Chaerocampa [sic] *minor* Butler,
1875: 249.— India Uttar Pradesh).

Hostplant: *Saurauia pundiana*, *Vitis*,
Amorphophallus

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Cechenena scotti Rothschild, 1920



Imago


Taxonomy: *Cechenena scotti* Rothschild, 1920: 481.– Massuri.

Hostplant

Flight period: v.

Altitude: 1750-1975 m.

Cechnetra scottii (Rothschild, 1920)



Distribution map

Sphingidae

Macroglossinae *Cechetra subangustata* (Rothschild, 1920)

Taxonomy:

Cechenena subangustata Rothschild,
1920: 482.— Indonesia (Sumatra).

Hostplant:

Flight period:

Altitude:

Imago

Distribution map

Sphingidae

Macroglossinae *Cephonodes hylas* (Linnaeus, 1771)

Taxonomy:

Sphinx hylas Linnaeus, 1771: 539.—
China.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Dahira rubiginosa* Moore, 1888



Taxonomy:


Dahira rubiginosa Moore, 1888:
391.– India (Himachal Pradesh).

Hostplant:

Flight period: v.

Altitude: 1750 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Dahira sinyaevorum* Brechlin, 2014

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Daphnis hypothous crameri (Cramer, 1780)



Imago

Taxonomy:


Sphinx hypothous Cramer, 1780: 165.
– Indonesia (Ambon).

Hostplant: *Rubiaceae*, *Cinchona*,
Wendlandia, *Uncaria*, *Alstonia*, *Antho-*
cephalus, *Ixora*, *Pavetta*.

Flight period: vi, viii.

Altitude: 875-1580 m.

Daphnis hypothous (Cramer, 1780)



Distribution map

Sphingidae

Macroglossinae

Elibia dolichoides (R. Felder, [1874])



Taxonomy

Ampelophaga dolichoides Felder,
1874: plate 76, fig. 8.- .


Hostplant

Flight period: viii.

Altitude: 875 m.

Imago

Elibia dolichus Westwood, 1848



Distribution map

Sphingidae

Macroglossinae *Elibia dolichus* (Westwood, 1848)

Taxonomy:

Sphinx (*Choerocampa*) *dolichus* Westwood, 1847: 61.– Bangladesh (Silhet).

Hostplant: *Saurauia*, *Leea*, *Cayratia*, *Tetrastigma*

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Enpinanga assamensis (Walker, 1856)



Imago


Taxonomy:

Panacra assamensis Walker, 1856:
160.– Bangladesh (Silhet).

Hostplant:

Flight period: v.

Altitude: 340 m.



Distribution map

Sphingidae

Macroglossinae *Eupanacra metallica* (Butler,, 1875)



Taxonomy:


Panacra metallica (Butler, 1875): 6.–
Bangladesh (Silhet).

Hostplant: *Arisaema tortuosum*.

Flight period: v, viii.

Altitude: 1750-2030 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Eupanacra sinuata (Rothschild & Jordan, 1903

Taxonomy:

Panacra sinuata Rothschild & Jordan,
1903: 539.– India (Sikkim).

Hostplant:

Flight period:

Altitude:

Imago

Distribution map

Sphingidae

Macroglossinae *Eupanacra variolosa* (Walker, 1856)

Taxonomy:

Panacra variolosa Walker, 1856: 156.
– Bangladesh (Silhet).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Eurypteryx bhaga (Moore, 1865)

Taxonomy:

Darapsa bhaga Moore, [1866] : 794.–
India (NE Bengal).

Hostplant : *Alstonia*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Gurelca hyas* (Walker, 1856)

Taxonomy:

Lophura hyas Walker, 1856: 107.–
Indonesia (Java).

Hostplant: *Paederia foetida*

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Hayesiana triopus* (Westwood, 1847)

Taxonomy:

Macroglossa triopus Westwood, 1847:
14.— India (Assam).

Hostplant: *Adina globiflora*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Hippotion boerhaviae (Fabricius, 1775)



Taxonomy:


Sphinx boerhaviae Fabricius, 1775:
542.– .

Hostplant: *Oldenlandia*, *Spermacoce*,
Impatiens, *Spermacoce stricta*, *S. his-*
pida, *Glossostigma spathulatum*, *Boer-*
havia repens, *B. diffusa*.

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Hippotion celerio* (Linnaeus, 1758)

Taxonomy:

Sphinx celerio Linnaeus, 1758: 491.-
——.

Hostplant: *Vitis*, *Parthenocissus*,
Spermacoce hispida, *Boerhavia*, *Ru-*
mex, *Caladium*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Hippotion rosetta (Swinhoe, 1892)



Imago

Taxonomy:


Choerocampa rosetta Swinhoe, 1892:
16.– Indonesia (Ceram).

Hostplant: *Lantana camara*, *Duranta
erecta*, *Ixora*

Flight period: v.

Altitude: 900 m.

Hippotion boerhaviae Fabricius, 1775



Distribution map

Sphingidae

Macroglossinae *Macroglossum belis* (Linnaeus, 1758)

Taxonomy:

Sphinx belis Linnaeus, 1758: 493.– Hot regions.

Hostplant: *Strychnos nux-vomica*, *Saprosoma indicum*, *Spermadictyon suaveolans*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Macroglossum bombylans Boisduval,
1875

Taxonomy:

Macroglossa bombylans Boisduval,
[1875]:334.– Central Asia.

Hostplant: *Rubia cordifolia*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Macroglossum corythus (Walker, 1856)



Imago

Taxonomy:

Macroglossum corythus Walker, 1856:
72.– Ceylon.


Macroglossa luteata Butler, 1875: 241.
– Bangladesh (Silhet).

Hostplant: *Paederia foetida*.

Flight period: v.

Altitude: 900 m.

Macroglossum corythus luteata Butler, 1875



Distribution map

Sphingidae

Macroglossinae

Macroglossum insipida Butler, 1875

Taxonomy:

Macroglossa insipida Butler, 1875:
242.– Ceylon.

Hostplant: *Borreria*, *Spermacoce*,
Corchorus.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Macroglossum pyrrhosticta* (Butler, 1875)

Taxonomy:

Macroglossa pyrrhosticta Butler,
1875: 242.– China (Shanghai).
Macroglossa catapyrrha Butler, 1875:
243.– N. India; Ceylon.

Hostplant: *Paederia foetida*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Panacra perfecta* Butler, 1875

Taxonomy:

Panacra perfecta Butler, 1875: 391.–
India (W. Bengal; Darjeeling).

Hostplant:

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae Macroglossinae *Pergesa acteus* (Cramer, 1779)

Macroglossinae

Pergesa acteus (Cramer, 1779)



Taxonomy:

Sphinx acteus Cramer, [1779]: 93.–.


Panacra butleri Rothschild, 1894: 80.—
Asia.

Hostplant *Alocasia*, *Amorphophallus*, *arisaema*, *Caladium*, *Colocasia*, *Diefenbachia*, *Begonia*, *Commelina*, *Leea*, *Cissus*, *Vitis*.

Flight period: v, viii.

Altitude: 875 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Pergesa elpenor macromera* (Bulter, 1875)

Taxonomy:

Choerocampa macromera Butler, 1875: 7.— Bangladesh (Silhet); N. India.

Hostplant: *Epilobium montanum*, *Impatiens*, *Osbeckia*, *Arisaema*, *Amorphophallus* .

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae *Rhagastis acuta* (Walker, 1856)

Taxonomy:

Zonilia acuta Walker, 1856: 195.– N.
India.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae Macroglossinae *Rhagastis albomarginatus* (Rothschild, 1894)



Taxonomy:


Metopsilus albomarginatus Rothschild, 1894: 78.— India (Assam; Khasi Hills).

Hostplant: *Hydrangea*.

Flight period: v.

Altitude: 1750– 2040 m

Imago



Distribution map

Sphingidae

Macroglossinae *Rhagastis castor aurifera* (Walker, 1856)



Taxonomy:


Pergesa castor Walker, 1856: 153.— .

Hostplant: *Amorphophallus*, *Vitis*

Flight period: v, viii.

Altitude: 875-900 m.

Imago



Distribution map

Sphingidae Macroglossinae *Rhagastis confusa* (Rothschild & Jordan, 1903)



Taxonomy:


Rhagastis confusa Rothschild & Jordan, 1903: 795.— India (Khasi Hills).

Hostplant: *Vitis*.

Flight period: v.

Altitude: 2040 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Rhagastis gloriosa (Butler, 1875)



Taxonomy:


Pergesa gloriosa Butler, 1875:
246.– India (West Bengal, Darjeeling).

Hostplant:

Flight period: v.

Altitude: 1975 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Rhagastis olivacea (Moore, 1872)



Taxonomy:


Pergesa olivacea Moore, 1872: 567.–
India (Himachal Pradesh).

Hostplant: *Impatiens*.

Flight period: v.

Altitude: 1765-1975 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Rhagastis velata (Walker, 1866)



Taxonomy:


Pergesa velata Walker, 1866: 1853.–
India (West Bengal, Darjeeling).

Hostplant: *Arisaema*, *Amorphophallus*

Flight period: v.

Altitude: 875 m.

Imago



Distribution map

Sphingidae

Macroglossinae *Rhopalopsyche nycteris* (Kollar, 1848)

Taxonomy:

Macroglossa nycteris Kollar, 1844:
458.– India (Uttar Pradesh).

Hostplant: *Galium*, *Rubia cordifolia*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Macroglossinae

Theretra alecto (Linnaeus, 1758)



Taxonomy:


Sphinx alecto Linnaeus, 1758: 492.–
India.

Hostplant: *Vitis*, *Parthenocissus*, *Cissus*, *Leea*, *Rubia*, *Psychotria*,
Saurauia, *Dillenia*, *Tetracera*

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Theretra clotho (Drury, 1773)



Taxonomy:


Sphinx clotho Drury, 1773: 91.– India (Tamil Nadu).

Hostplant: Actinidiaceae, Araceae, Begoniaceae and Dilleniaceae

Flight period: v.

Altitude: 340-900 m.

Imago



Distribution map