

Sphingidae

Macroglossinae

Theretra griseomarginata (Hampson, 1898)



Taxonomy

Chaerocampa griseomarginata Hampson, 1898: 287.– India (Sikkim).

Hostplant


Flight period: v.

Altitude: 340 m

Remarks: wingspan 40 mm.

Imago

Theretra griseomarginata (Hampson, 1896)



Distribution map

Sphingidae

Macroglossinae *Theretra nessus* (Drury, 1773)



Taxonomy:

Sphinx nessus Drury, 1773: 46.– .


Sphinx equestris Fabricius, 1793: 365.– .

Hostplant: *Amaranthus*, *Impatiens*, *Citrullus*, *Arachis*, *Boerhavia*, *Knoxia*, *Morinda*, *Oldenlandia*, *Spermacoce*, *Glossostigma*, *Camellia*

Flight period: v, viii.

Altitude: 875 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Theretra oldenlandiae Fabricius, 1775



Imago


Taxonomy:

Sphinx oldenlandiae Fabricius, 1775:
542.— .

Hostplant:

Flight period: v.

Altitude: 340-900 m.



Distribution map

Sphingidae

Macroglossinae

Theretra pallicosta (Walker, 1856)



Taxonomy:


Chaerocampa pallicosta Walker, 1856:
145.— Bangladesh (Silhet).

Hostplant: *Aporosa* spec.

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Sphingidae

Macroglossinae

Theretra tibetiana Vaglia & Haxaire, 2010

Taxonomy:

Theretra tibetiana Vaglia & Haxaire,
2010: .– China (Thibet).

Hostplant:

Flight period:

Altitude:

Imago

Distribution map

Sphingidae

Smerinthinae

Ambulyx bhutana Brechlin, 2014

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Ambulyx junonia Butler, 1881

Taxonomy:

Ambulyx junonia Butler, 1881: 9.–
Bhutan.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Ambulyx liturata Butler, 1875



Taxonomy:


Ambulyx liturata Butler, 1875: 250.– .

Hostplant:

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Ambulyx moorei Moore, 1858



Taxonomy:

Ambulyx moorei Moore, [1858]: 266.–.

Ambulyx subocellata Felder, 1874:
plate 76.– .

Ambulyx turbata Butler, 1875: 252.– .


Ambulyx thwaitesii Moore, 1882: 11.–
Ceylon(?).

Hostplant: *Buchanania*, *Lannea*, *Canarium*

Flight period: viii.

Altitude: 875 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Ambulyx ochracea Butler, 1885



Taxonomy:


Ambulyx ochracea Butler, 1885: 113.–
Japan (Honshu)..

Hostplant: *Juglans regia*, *Cho-
erospondias fordii* .

Flight period: v, viii.

Altitude: 875-1750 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Ambulyx placida Moore, 1888



Taxonomy:


Ambulyx placida Moore, 1888: 390.–
India (Himachal Pradesh).

Hostplant:

Flight period: v-vi.

Altitude: 1580-1750 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Ambulyx substrigilis Westwood 1848

Taxonomy:

Sphinx (Ambulyx) substrigilis Westwood, 1847: 61.– Bangladesh (Silhet).

Hostplant: *Aglaia littoralis*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Amplypterus masoni (Clark, 1924)



Taxonomy:


Amplypterus masoni (Clark, 1924)

Hostplant:

Flight period : V.

Altitude: 1750-1975 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Amplypterus panopus Cramer, 1779

Taxonomy:

Sphinx panopus Cramer, 1779: 50.–
Indonesia (Java).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Anambulyx elwesi (Druce, 1882)

Taxonomy:

Ambulyx elwesi Druce, 1882: 17.– India (W. Bengal; Darjeeling).

Hostplant:

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Callambulyx poecilus Rothschild, 1898



Taxonomy:


Ambulyx poecilus Rothschild, 1898:
604.- INW India (Murree).

Hostplant: m

Flight period: v.

Altitude: 910 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Callambulyx rubricosa (Walker, 1856)



Taxonomy:


Ambulyx rubricosa Walker, 1856: 122.–
India.

Hostplant: *Salix caprea* .

Flight period: viii.

Altitude: 875-900 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Callambulyx sichangensis Chu & Wang,
1980

Taxonomy:

Callambulyx tatarinovi [sic]
sichangensis Chu & Wang, 1980: 418.
– China (Sichuan).

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Clanidopsis exusta (Butler, 1875)



Taxonomy:


Basiana exusta Butler, 1875: 252.—
India (Himachal Pradesh).

Hostplant: *Indigofera*

Flight period: v.

Altitude: 910 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Clanis bilineata (Walker, 1866)



Imago


Taxonomy:

Basiana bilineata Walker, 1866:
1857.– India (Darjeeling).

Hostplant:

Flight period: v, viii.

Altitude: 340-900 m.



Distribution map

Sphingidae

Smerinthinae

Clanis hyperion Cadiou & Kitching, 1990
ssp. *bhutana* Brechlin, 2014

Taxonomy:

Clanis hyperion Cadiou & Kitching,
1990: 9.– Thailand.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Clanis titan Rothschild & Jordan, 1903

Taxonomy:

Clanis titan Rothschild & Jordan,
1903: 213.— India (Khasi Hills).

Hostplant: *Pterocarpus marsupium*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Clanis undulosa gigantea Rothschild,
1894



Imago


Taxonomy:

Clanis gigantea Rothschild, 1894: 96.–
India (Assam, Khasi hills).

Hostplant:

Flight period: v.

Altitude: 1750 m.



Distribution map

Sphingidae

Smerinthinae

Craspedortha porphyria (Butler, 1876)



Taxonomy:


Daphnusa porphyria Butler, 1876:
640.– India (West Bengal, Darjeeling).

Hostplant: *Vitex canescens*

Flight period: v.

Altitude: 900 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Dolbina inexacta (Walker, 1856)



Imago


Taxonomy:

Macrosila inexacta Walker, 1856: 208.
– North India.

Hostplant: *Ligustrum robustum*, *Fraxinus*, *Osmanthus fragrans*, *Olea*, *Lonicera*, *Ligustrum*, *Fraxinus*, *Osmanthu*

Flight period: v.

Altitude: 900– 1750 m.



Distribution map

Sphingidae

Smerinthinae

Marumba cristata (Butler, 1875)



Taxonomy:


Triptogon cristata Butler, 1875: 253.–
India (West Bengal, Darjeeling).

Hostplant: *Lisea elongata*, *Machilus ichangensis*, *Phoebe*.

Flight period: v.

Altitude: 340-900 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Marumba dentatus Cramer, 1777

Taxonomy:

Sphinx dentatus Cramer, [1777]: 42.—
Coromandel Coast.

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Smerinthinae

Marumba dyras Walker, 1856



Imago


Taxonomy:

Smerinthus dyras Walker, 1856: 25.— .

Hostplant: *Hibiscus mutabilis*, *Microcos paniculata*, *Bombax*, *Ceiba*, *Bridelia*, *Cajanus*, *Hibiscus*, *Kydia*, *Schleichera*, *Buettneria*, *Helicteres*, *Pterospermum*, *Sterculia*, *Grewia*.

Flight period: v, viii.

Altitude: 340- 875 m.



Distribution map

Sphingidae

Smerinthinae

Marumba spectabilis (Butler, 1875)



Taxonomy:


Triptogon spectabilis Butler, 1875:
256.– .

Hostplant: *Meliosma*

Flight period: v, viii.

Altitude: 875– 1975 m.

Imago



Distribution map

Sphingidae

Smerinthinae

Marumba sperchius (Ménétriés, 1857)



Taxonomy:


Smerinthus sperchius Ménétriés, 1857:
137.– .

Hostplant: Castanea, Castanopsis,
Quercus, Juglans, Eriobotrya.

Flight period: viii.

Altitude: 875 m.

Imago



Sphingidae

Smerinthinae

Rhodoprasina koerferi Brechlin, 2010

Taxonomy:


Rhodoprasina koerferi Brechlin, 2010:
23.-.Bhutan.

Hostplant: .

Flight period: x

Altitude: 2270– m.

Imago



Distribution map

Sphingidae

Smerinthinae

Sataspes infernalis (Westwood, 1847)




Taxonomy : *Sesia infernalis* Westwood, 1847: 61.– .

Hostplant: *Albizia*, *Dalbergia*, *Lespedeza*

Flight period: iv-v, viii.

Altitude: 349-1765 m.

Imago



Distribution map

Sphingidae

Sphinginae

Acherontia lachesis (Fabricius, 1798)



Imago


Taxonomy:

Sphinx lachesis Fabricius, 1798: 434. – East India.

Hostplant: *Jasminum*, *Solanum tuberosum*, *Nicotiana tabacum*, *Tectona grandis*, *Datura*, *Ipomoea batatas*, *Clerodendrum kaempferi*, *Erythrina speciosa*, *Clerodendrum quadriloculare*, *Lantana camara*, *Sesamum indicum*, *Solanum melongena*, *Solanum verbascifolium*, *Stachytarpheta indica*, *Solanum torvum*, *Spathodea campanulata*, *Vitex pinnata* and *Clerodendrum inerme*

Flight period: v.

Altitude: 875 m.



Distribution map

Sphingidae

Sphinginae

Acherontia styx (Westwood, 1847)

Taxonomy:

Sphinx (Acherontia) styx Westwood,
1847 : 88.— East Indies.

Hostplant: *Sesamum indicum*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Sphinginae

Agrius convolvuli (Linnaeus, 1758)



Taxonomy:

Sphinx convolvuli Linnaeus, 1758: 490.
– Europe.

Hostplant

Flight period

Altitude

Remarks: specimen recognized from photograph taken in Bhutan. No locality, data, nor altitude information available.

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Sphinginae

Apocalypsis velox Butler, 1876

Taxonomy:

Apocalypsis velox Butler, 1876: 641.–
India (West Bengal; Darjeeling).

Hostplant: *Callicarpa arborea*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Sphinginae

Hyloicus oberthueri Rothschild & Jordan,
1903

Taxonomy:

Hyloicus oberthueri Rothschild & Jordan, 1903: 119, 149.— China (Yunnan).

Hostplant: *Pinus massoniana*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Sphinginae

Notonagemia analis (Felder, 1874)



Taxonomy:


Sphinx analis Felder, R., [1874]: plate 78, fig 4.— China (Shanghai).

Hostplant: *Sassafras tzuma* , Magnolia.

Flight period: v.

Altitude: 1750-2040 m.

Imago



Distribution map

Sphingidae

Sphinginae

Psilogramma discistriga (Walker, 1856)



Imago

Taxonomy:

Macrosila discistriga Walker, 1856: 209.– .


Diludia melanomera Butler, 1875: 13.– Bangladesh (Silhet).

Hostplant:

Flight period: v, viii.

Altitude: 875 m.

Psilogramma discistriga (Walker, 1856)



Distribution map

Sphingidae

Sphinginae

Psilogramma increta (Walker, 1865)



Taxonomy:


Anceryx increta Walker, [1865] Walker, 1856: 36.— China (Shanghai).

Hostplant: *Campsis* (as *Tecoma*), *Catalpa*, *Clerodendrum*, *Dimocarpus*, *Firmiana*, *Fraxinus*, *Ligustrum*, *Melia*, *Meliosma*, *Olea*, *Osmanthus*, *Paulownia*, *Syringa*, *Vitex*

Flight period: v.

Altitude: 340-910 m.

Imago



Distribution map

Sphingidae

Sphinginae

Psilogramma menephron Cramer, 1780

Taxonomy:

Sphinx menephron Cramer,
[1780]:164.– Indonesia (Ambon).

Hostplant: *Campsis*, *Clytostoma*, *Dolichandrone*, *Oroxylum*, *Pandorea*, *Poddranea*, *Spathodea*, *Tecoma*, *Buxus*, *Lonicera*, *Viburnum*, *Casuarina*, *Pongium*, *Perilla*, *Melia*, *Fraxinus*, *Jasminum*, *Ligustrum*, *Notelaea*, *Nyctanthes*, *Olea*, *Osmanthus*, *Syringa*, *Sesamum*, *Antirrhinum*, *Paulownia*, *Hebe*, *Callicarpa*, *Clerodendrum*, *Gmelina*, *Tectona*, *Vitex*.

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia

Sphingidae

Sphinginae

Sphinx bhutana Brechlin, 2015

Taxonomy

Hostplant

Flight period

Altitude

Imago

Male genitalia

Distribution map

Female genitalia